


ISSN 0737-0393

THE MISSISSIPPI KITE

Vol. 20 (1)

July 1990



A Periodical Published by the Mississippi Ornithological Society to Record and Further the Study of Mississippi Birdlife.

Vol. 20, No. 1

July 1990

Contents

A RUDDY SHELDUCK SHOT IN PANOLA COUNTY, MISSISSIPPI W. Marvin Davis	2
FIRST DOCUMENTED RECORD OF SABINE'S GULL IN MISSISSIPPI Malcom F. Hodges, Jr., Judith A. Toups, and Terence Schiefer	4
FIRST INLAND SIGHTING OF GULL-BILLED TERN IN MISSISSIPPI Terence L. Schiefer and Malcolm F. Hodges, Jr.	6
BIRDS AROUND THE STATE: DECEMBER 1988-DECEMBER 1989 compiled by Terence L. Schiefer	8

Front Cover: Barred Owl (*Strix varia*).
Photo by Jerome A. Jackson.

THE MISSISSIPPI KITE

A RUDDY SHELDUCK SHOT IN PANOLA COUNTY, MISSISSIPPI

W. Marvin Davis

308 Lewis Lane
Oxford, Mississippi 38655

On the morning of 8 January 1989, James Simmerman of Como, Mississippi, was waterfowl hunting with a companion at a "beaver pond" on Nelson Creek in northwestern Panola County. This tributary of the Little Tallahatchie River enters Sardis Lake about four miles above Sardis Dam. The hunters saw a single duck fly over their goose and duck decoys, circling twice before being shot by Simmerman. The bird called as it flew in in a manner described as goose-like honking sounds. It was quickly noted to be of a species that they could not identify.

The duck was retrieved and later taken to taxidermist Tony Coy, of Batesville, Mississippi, who was also unable to identify it. Mr. Coy kept the frozen bird until 6 February, when he took it to the University of Mississippi Department of Biology, where Professor Paul Lago used Peterson (1980) and other references to identify it as a male Ruddy Shelduck (*Tadorna ferruginea*). I examined the bird and concurred in the identification.

The duck was obviously healthy, full-bodied and heavy, and with plumage in excellent condition. There was no evidence of wear on wing or tail feathers. The bird had no leg band, nor signs of having worn one. The black feet and legs were unmarked, showing no scars, sores, or calloused spots that might suggest captivity. Thus, in behavior and appearance there was nothing to distinguish the duck from a free-living, wild individual.

The Ruddy Shelduck is a Eurasian species that breeds in areas around the Mediterranean and eastward from Asia Minor through Afghanistan to Tibet. The American Ornithologists' Union (1983:780) notes that it "has been recorded casually as a stray in western Greenland" and that several records in the interior of North America (including Kentucky and Illinois) "most likely pertain to escapes from captivity." The Ruddy Shelduck is among those species of exotic waterfowl "common in zoos and private collections" in the United States (National Geographic Society 1987:90).

Photographs of the specimen taken prior to its being mounted have been deposited in the avian collections of the Mississippi Museum of Natural Science and the Department of Biological Sciences at Mississippi State University.

Literature Cited

- American Ornithologists' Union. 1983. Check-list of North American birds. 6th ed. American Ornithologists' Union, Washington, D.C.
- National Geographic Society. 1987. Field guide to the birds of North America. 2nd ed. National Geographic Society, Washington, D.C.
- Peterson, R.T. 1980. A field guide to the birds. Houghton Mifflin Co., Boston, Massachusetts.

THE MISSISSIPPI KITE

FIRST DOCUMENTED RECORD OF SABINE'S GULL IN MISSISSIPPI

Malcolm F. Hodges, Jr.

Dept. of Biological Sciences
Mississippi State University
Mississippi State, MS 39762

Judith A. Toups

4 Hartford Place
Gulfport, MS 39507

and

Terence Schiefer

Dept. of Entomology
Mississippi State University
Mississippi State, MS 39762

We spotted a Sabine's Gull (*Xema sabini*) at about 0900 on 9 August 1988 as it landed on the beach at Clermont Harbor, Hancock County, Mississippi. We watched it for about 20 minutes as it stood or lay on the sand, from as close as 8 m through 7X and 8X binoculars and 22X spotting scopes. Photographs (color slides and color and black-and-white prints) were taken of the bird. Heavy overcast provided mediocre light. Strong winds were from the south; the temperature was about 78 degrees F. Tropical Storm Beryl was moving ashore west of New Orleans.

We immediately identified the bird as a Sabine's Gull due to its wing pattern. It was in first-summer plumage: the dark gray hood was finely speckled white, the black collar was splotchy and incomplete at the throat and nape, the tail was completely white, the white primary tips were small, and the bill was entirely dark. All of these marks may be seen in the photographs.

We ruled out immature Little (*Larus minutus*) and Ross' (*Rhodostethis rosea*) gulls and immature Black-legged Kittiwake (*Rissa tridactyla*) by the lack of black on the inner wing and tail and the presence of a hood (National Geographic Society 1987).

We first noticed the Sabine's Gull as it was landing and did not see the direction from which it came. It stood among a group of about 30 Larids including: Laughing Gull (*L. atricilla*), Gull-billed (*Sterna nilotica*), Caspian (*S. caspia*), Sandwich (*S. sandvicensis*), Common (*S. hirundo*), Forster's (*S. forsteri*), Least (*S. antillarum*), and Black (*Chlidonias niger*) terns, and Black

Skimmers (*Rynchops niger*). The Sabine's Gull preened, and twice lay upon the sand, although it did not tuck its head. The Sabine's Gull was less skittish than the other larids, not flying when Hodges approached to within 8 m. It once flew about 1 meter, returning to the beach. After we returned to our car, the bird left with a group of skimmers and was last seen flying westward along the beach. Hodges had previously seen the species in Texas and the Pacific Ocean, and Toups had seen it in coastal California.

This is the second record of Sabine's Gull for the state. An immature bird was sighted on 14 July 1964, 3 miles WNW of Ship Island, Harrison County (Toups and Jackson 1987). Duncan and Havard (1980) list 12 other records for the northern Gulf coast, all from Texas, Louisiana, and Alabama. Sabine's Gull breeds in the Arctic and winters at sea in the southern Atlantic and Pacific oceans (Harrison 1983).

Literature Cited

- Duncan, C.D., and R.W. Havard. 1980. Pelagic birds of the northern Gulf of Mexico. Am. Birds 34:122-132.
- Harrison, P. 1983. Seabirds. An identification guide. Croom Helm Ltd., Beckenham, United Kingdom.
- National Geographic Society. 1987. Field guide to the birds of North America. 2nd ed. National Geographic Society, Washington, D.C.
- Toups, J.A., and J.A. Jackson. 1987. Birds and birding on the Mississippi coast. University Press of Mississippi, Jackson.

THE MISSISSIPPI KITE

FIRST INLAND SIGHTING OF GULL-BILLED TERN IN MISSISSIPPI

Terence L. Schiefer

and

Malcolm F. Hodges, Jr.

Dept. of Entomology
Mississippi State University
Mississippi State, MS 39762Dept. of Biological Sciences
Mississippi State University
Mississippi State, MS 39762

On 16 July 1989 we found a Gull-billed Tern (*Sterna nilotica*) in Lowndes County, Mississippi. At 0735 Schiefer spotted the bird as it flew by us; we were birding flooded fields of the Catalpa Creek floodplain along U.S. highway 82. We watched the bird intermittantly for 15 minutes as it hawked for food over the fields. It was seen from as close as 10 m, from all sun angles, through 10X and 7 X binoculars and 22X and 25X spotting scopes. The tern was seen in both dark overcast and bright sunlight, although the sky was mostly cloudy. Strong winds were from the south and the temperature was about 75 degrees F.

We identified the medium- to large-sized tern almost immediately as a Gull-billed. The bird was white but for the mantle, wings, crown, and soft parts. The mantle and upperwings were a very pale gray except for a slight darkness on the outer primaries. This latter color may have been an impression caused by dark on the under surface showing through the wing. A dark gray bar on the trailing edge of the underwing tip was about 1 cm wide and on the outer primaries only. Schiefer noted a narrow dark strip on the leading edge of the outer primary tip. The wings were broad; tail short, deeply notched, and outer rectrices not elongated into streamers. The tail only extended beyond the feet about 2-3 lengths of the feet.

The deep black cap was immaculate and extended from the front over the eyes to the bottom of the nape. The bill was short for the tern's size, stout, and entirely black. The legs, feet, and eyes were also black.

The tern flew languidly over flooded fields, hawking (not diving for) insects with slow, shallow wingbeats. It usually flew at a height of about 10-15 m above ground, except when it flew low for prey. It successfully captured at least two prey items as we watched. It usually kept its head facing down while flying. The tern landed on mudflats as we were leaving. We could not relocate the bird later the same day.

Gull-billed Terns are very rare inland in the U.S. Of the four states bordering Mississippi, Louisiana and Alabama have inland

records of this species. The inland (*sensu lato*) Louisiana Gull-billed Tern was seen in the Baton Rouge area on 10 September 1965 (Lowery 1974). Farther inland was one at Marion, Alabama, on 17 May 1969 (Imhof 1976). Several Gull-billed Terns have been recorded inland in Texas (Oberholser 1974), and there is a record for Eufala National Wildlife Refuge, Georgia (LeGrand 1978). The present sighting is the first inland record for Mississippi.

Literature Cited

- Imhof, T.A. 1976. Alabama birds. 2nd ed. University of Alabama Press, University.
- LeGrand, H.E., Jr. 1978. Southern Atlantic Coast region. Am. Birds 32:335-338.
- Lowery, G.H., Jr. 1974. Louisiana birds. 2nd ed. Louisiana State University Press, Baton Rouge.
- Oberholser, H.C. 1974. The birdlife of Texas. University of Texas Press, Austin.

THE MISSISSIPPI KITE

**Birds Around the State:
December 1988-December 1989**

Compiled by Terence L. Schiefer

Department of Entomology
Mississippi State University
Mississippi State, Mississippi 39762

The following is a summary of noteworthy bird sightings in Mississippi for the period 1 December 1988 through 31 December 1989. The sequence of information in each account is: species, number, date, place, observer(s). Numbers of birds sighted are underlined. The significance of sightings is indicated by a letter in parentheses following a record. These letters are as follows: (A) = arrival date, (D) = departure date, (E) = early date, (L) = late date, (N) = unusually large number, (R) = species rare in area or at that season. Other abbreviations used include the following: ad = adult, CBC = Christmas Bird Count, Co. = County, Cos. = Counties, f = female/s, imm = immature/s, Is. = Island/s, juv = juvenile, m = male/s, max. = maximum, mi = mile/s, m.ob. = many observers, MSU = Mississippi State University, NMP = National Military Park, N.S. = National Seashore, NWR = National Wildlife Refuge, pl = plumage, PRM = Pascagoula River Marsh, Ref. = Refuge, Rd. = Road, S.L. = Sewage Lagoon, S.P. = State Park, sp. = species, St. = Street, subad = subadult, WMA = Wildlife Management Area. The list of sightings is followed by a key to observers' initials and a gazetteer of localities.

Contributions of records are welcome from anyone who makes observations of Mississippi birds. Only with the assistance of many individuals from throughout the state over a period of years can we come to understand the dynamics of the bird populations of Mississippi. Contributors should submit records on 3" x 5" cards or similar-sized slips of paper with the following information: species, number seen, date (including year), location (state, county and specific location), observer(s), and details and significance of observation. Very unusual records should be accompanied by full details including description of bird, details of observation, and explanation of how similar species were eliminated. While records are welcome at any time, those received by 15 March, 15 June, 15 August, and 15 December will be submitted with the seasonal report to American Birds as well as being considered for use in The Mississippi Kite. Please send all records to:

Terence L. Schiefer
Mississippi State University
Department of Entomology
P. O. Box 9775
Mississippi State, MS 39762-9775

RED-THROATED LOON -- 1, 28 Dec.'88 & 14 Jan., Clermont Harbor, TH, HS, JT, PD (R); 1 in basic pl, 25 Mar., Petit Bois Is., CC, MF, AD (R)

COMMON LOON -- 14, 14 Jan., Sardis Dam, DD (N); 2, 28 Feb., Sardis Dam, GK (R); 3, 29 Mar., Oktibbeha & Noxubee Cos., TS (A); 8, 8 Apr., Oktibbeha Co. Lake, TS (N); 2, 5 May, Oktibbeha Co. Lake, TS (L); 1 in basic pl, 12-22 May, Sardis Dam Lower Lake, MD, GK (L); 2 in basic pl, 23 Jul., Mississippi Sound off West Ship Is., TS (R); 1 in basic pl, 14 Oct., Hancock Co., JT, MH (A)

PIED-BILLED GREBE -- 2 ad, 8 young, 29 May, PRM, MH (R)

HORNED GREBE -- 95, 12 Dec.'88, Sardis Dam, MD (N); 1, 5 Jan., Oktibbeha Co. Lake, TS (R); 1, 8 Jan., Laurel S.L., TS; 1, 29 Mar., Bluff Lake, Noxubee Co., TS (R)

EARED GREBE -- 1, 6 Dec.'88-1 Jan., Grenada S.L., MD, GK, m.ob. (R); 1, 12 Dec.'88 & 4 Feb., Waveland S.L., JT, m.ob. (R); 3, 29 Jan., Laurel S.L., TS; 8 most in alternate pl, 25 Apr., 5 in alternate pl, 2 May, Seaman Rd. S.L., JT, PL, SF, m.ob. (N,L); 1, 24 Sep., Tupelo S.L., MH, TS (R); 1, 12 Oct., 2, 14-15 Oct., Waveland S.L., JT, GM (R); 8, 30 Nov., Seaman Rd. S.L., JT, m.ob.; 1, 2 Dec.'89, Grenada S.L., GK, SK, TS (R); 1, 23 Dec.'89, Sardis Dam, GK, SK (R)

SOOTY SHEARWATER -- 1, 27 Dec.'88, Ladner Pier, Waveland, JT (R, 2nd state record); 1, 22 Mar., Long Beach, GM, CC, MB, JP (R, 3rd state record)

NORTHERN GANNET -- 1-2, 27-28 Dec.'88, Ladner Pier, Waveland, JT; 150, 20-24 Mar., Harrison and Hancock Co. beaches, JT, CD, LJ, m.ob. (N); several, 28 Oct. & 18 Nov., offshore Mississippi, JT, m.ob.

AMERICAN WHITE PELICAN -- 48-80, 28 Dec.'88-28 Feb., Lakeshore, JT, m.ob. (N); 3-200, 1 Mar.-21 Apr., near Choctaw, NHe; 17, 29 Jul., PRM, JT, m.ob.; 10, 25 Sep., 3, 27-28 Sep., Sardis Waterfowl Ref., VT, GK (E); 40, 9 Oct., Hancock Co., JT, LK; 85, 9 Oct., Bolivar Co., NHe

BROWN PELICAN -- 12-22, 3 Dec.'88-28 Feb., Hancock Co., JT (N); 200, 4 Aug., Horn Is., CD, LJ, GM, JT (N); 65, 9 Aug., Pascagoula beach, LJ; 195, 25 Nov., Jackson Co. in Mississippi Sound and off barrier islands, MH, MN, PR (N)

DOUBLE-CRESTED CORMORANT -- 420, 17 Dec.'88, Noxubee NWR, Noxubee Co., TS, m.ob.; 70, 5 May, Oktibbeha Co. Lake, TS (N); 1 ad, 21 May, Tunica Co., MD, JW, GK, SK (L); 1, 23 May, Columbus S.L., TS, GW (L); 1, 8-9 Aug., Ocean Springs beach, MH (R); 200, 18 Nov.,

314, 25 Nov., Sardis Waterfowl Ref., MD, GK (N); 450, 25 Nov., Sardis Dam, MD (N)

ANHINGA -- 16 ad, 8 downy young, 31 Jul., Big Point cooling pond, JT, MH (N - 8 nests seen); 1 f, 11 Aug., Bluff Lake, Noxubee Co., TS, MD, MC, JBr (R); 1, 3 Nov., Waveland S.L., JT (R)

MAGNIFICENT FRIGATEBIRD -- 30, 27 Aug., West Ship Is., LJ (N); 1, 28 Oct. & 18 Nov., offshore Mississippi, JT, m.ob. (L); 1, 9 Nov., Biloxi Bay, Harrison Co., MH (L)

AMERICAN BITTERN -- 1, 30 Mar., PRM, GM, CC; 1, 1 Apr., Noxubee NWR, Oktibbeha Co., MH, TS; 1, 4-14 Oct., Kiln, CD, LJ (E)

LEAST BITTERN -- 1-3, 30 Apr.-11 May, Noxubee NWR, Noxubee & Winston Cos., MH, TS (R); 1 nearly grown downy young, 12 Aug., PRM, MH; 1, 16 Aug., Bluff Lake, Oktibbeha Co., TS (R); 1, 12 Nov., Jackson Marsh, JT (L)

GREAT EGRET -- 1, 11 Dec.'88, Oktibbeha Co. Lake, MH (D); 1, 10 Jan., Calhoun Co., GK, VT (R); 1, 23 Apr., Columbus S.L., TS; 1, 30 Apr., Noxubee NWR, Noxubee Co., MH, TS; 2, 10 Dec.'89, Grenada Lake, Calhoun Co., GK, SK, TS; 1, 11 & 17 Dec.'89, Sardis Waterfowl Ref., VT, GK; 1, 30 Dec.'89, Sardis Dam Lower Lake, SK, GK

SNOWY EGRET -- 1, 30 Apr., Columbus S.L., MH, TS (R); 1, 20 May, Tunica Co., MD (R); 1, 13 Oct., Sardis Waterfowl Ref., GK, VT (R,L)

LITTLE BLUE HERON -- 2, 31 Mar., Noxubee NWR, Noxubee Co., ADi (A); 1 ad, 30 Apr., Noxubee NWR, Winston Co., MH, TS (D); 1 imm, 7 Dec.'89, Oktibbeha Co. Lake, TS (L)

REDDISH EGRET -- 1, 14 Jan., Waveland, JT, PD, HS (R); 1, 20 Mar., Waveland, JT, CD, LJ (R); 1 imm, 17 Jul., Biloxi beach, JT (A on mainland); 3-7, Oct., 1, 30 Nov., coastal counties, JT

CATTLE EGRET -- 2-1, 5 & 12 Dec.'88, Washington Co., MH (L); 1, 8 Apr., MSU North Farm, TS, JM (A)

GREEN-BACKED HERON -- 1, 30 Mar., Oktibbeha Co., MH (A)

BLACK-CROWNED NIGHT-HERON -- 1 imm, 9 & 16 Aug., Bluff Lake, Noxubee & Oktibbeha Cos., TS (R); 1 ad, 20 Aug., Loakfoma Lake, TS (R); 1 imm, 1-14 Sep., Clear Creek Rd., Lafayette Co., GK, MD (R)

YELLOW-CROWNED NIGHT-HERON -- 1 ad, 15 Apr., Sardis Dam Clear Springs Nature Trail, MD, GK, SK (on nest); 2 imm, 19 Sep., Loakfoma Lake, TS (L)

WHITE IBIS -- 2 imm, 24 Jun., near Scott, NHe; 2 imm, 4 Jul., Noxubee NWR, Winston Co., MH (E)

GLOSSY IBIS -- 1 in alternate pl, 23-25 Mar., PRM, CC, SM, GM, JT, JP, m.ob. (R); 1, 25 Apr. Lakeshore, JT, PL, SF (R)

WHITE-FACED IBIS -- 1 ad, 13-18 Nov., PRM, CC, JP, m.ob. (R)

ROSEATE SPOONBILL -- 2, 1 Jul., Kiln, CE (R); 1-3, 25 Jul.-25 Aug., PRM, GM, SM, MH, JT, m.ob. (R); 2 imm, 5 Aug.-10 Sep., Noxubee NWR, Noxubee Co., TS, MC, m.ob. (R); 1, 16 Oct., Biloxi beach, JB (R)

WOOD STORK -- 3 imm, 24 Jun., near Scott, NHe; 2, 16 Jul., Lake Loakfoma, MC (A); 3, 28 Jul., Mississippi Sandhill Crane NWR, BO (R); 32-60, 8 & 10 Sep., near Scott, NHe; 1, 7 Oct., Kiln, LK (R); 1 imm, 22 Oct., Loakfoma Lake, TS (L)

FULVOUS WHISTLING-DUCK -- 1, 2 May, Kiln, JT, GM, CC, JP (R)

BLACK-BELLIED WHISTLING-DUCK -- 1, 20-25 May, near Arkabutla Lake, Tate Co., BBe, GK, SK, JW, MD, TS, MH (R)

TUNDRA SWAN -- 1, 12 Feb., Yazoo NWR, TS (R); 1, 31 Nov.-1 Dec.'89, Noxubee NWR, Noxubee Co., DR (R); 10 ad, 3 imm, 3 Dec.'89, 4 mi east-northeast of Sidon, TS, GK (R)

GREATER WHITE-FRONTED GOOSE -- 10, 6 Jan., Seaman Rd. S.L., MP, GM (R); 20, 3 Mar., Blocker's Bottom, TS (R,N); 219, 12 Mar., Quitman Co., GK, SK (N); 30-37, 12-13 Oct., Sardis Waterfowl Ref., GK, VT (E); 4, 1 Nov., Seaman Rd. S.L., JT, MM (R); 14, 31 Nov., Noxubee NWR, Noxubee Co., DR, TS (R)

SNOW GOOSE -- 100, 12 Dec.'88, Port Bienville, JT; 2000, 25 Feb., Choctaw, NHe; 60, 3 Mar., Blocker's Bottom, TS (N); 2 blue morph, 4 Oct., Long Beach, MP, LSh (A); 3 blue morph, 11 Oct., Seaman Rd. S.L., CD, LJ; 1 ad white morph, 18 Nov., 10 mi south of Horn Is., JT, m.ob.

ROSS' GOOSE -- 1, 15 Nov., 2 mi north of Abbeville, Lafayette Co., GK, VT (seen in flight with Snow Geese, 3rd State Record)

CANADA GOOSE -- 5, 29 Apr., Waveland beach, CC, JT (L); 12 small race, 23 Nov., MSU North Farm S.L., TS (R)

GREEN-WINGED TEAL -- 1, 26 Sep., Kiln, CC, JP, JT, m.ob. (A)

GREEN-WINGED "Common" TEAL -- 1 m, 13 Oct., Sardis Waterfowl Ref., GK, VT (R - sight record, first for state)

AMERICAN BLACK DUCK -- 2, 10-11 Jul., 1, 16 Jul., Catalpa Creek Bottoms, TS, MH (R); 1, 18 Oct., Seaman Rd. S.L., MH, CC (R)

MALLARD -- 2 broods of 16 & 10, 9 Apr., 5 broods of 11, 8, 8, 5 & 3, 23 Apr., Columbus S.L., TS; 1 brood of 11, 29 Apr., Starkville south S.L., TS

NORTHERN PINTAIL -- 1, 28 Sep., Lakeshore, JT, GM (E)

BLUE-WINGED TEAL -- 1, 9 May, Starkville south S.L., TS (D); 1 m, 11 Jul., Catalpa Creek Bottoms, TS (E)

NORTHERN SHOVELER -- 2, 20 Apr., Noxubee NWR, Winston Co., TS (L)

AMERICAN WIGEON -- 1 m, 17 Apr., Jackson Marsh, PD, LD, JT, CR (L); 1 f, 4 May, Columbus S.L., TS (L)

CANVASBACK -- 1-2, 13-26 Jan., Eupora S.L., TS; 1, 11 Feb., MSU North Farm S.L., TS; 2, 21 Mar., Oktibbeha Co., TS (L); 1, 11 Oct., Seaman Rd. S.L., CD, LJ (E); 2, 14 Oct., Kiln, JT, GO, DC, MH (E); 3, 24 Oct., near Choctaw, NHe

REDHEAD -- 1 f, 15 Dec.'88, Eupora S.L., TS (R); 1 m, 4 May, Columbus S.L., TS (L); 1, 20 Dec.'89, MSU North Farm S.L., TS (R)

RING-NECKED DUCK -- 1, 15 Apr., MSU North Farm S.L., TS, MH, LC, JR (D); 1, 16 Apr., Seaman Rd. S.L., MH, TS (L); 1 f, 25 Jul., Laurel S.L., TS (R)

GREATER SCAUP -- 1-3, 1-16 Dec.'88, Oktibbeha Co. Lake, TS, MH (R); 1, 17 Dec.'88-10 Jan., Grenada S.L., GK, SK, VT, MD (R); 1, 1 Jan., Water Valley S.L., GK, SK, VT, MD (R); 1 f, 3 Feb., Eupora S.L., TS (R); 11, 12-13 Feb., Ross Barnett Reservoir, Rankin Co., MHu, WT, SP (R); 3, 18-23 Mar., Oktibbeha Co. Lake, TS; 6, 2 Nov., Oktibbeha Co. Lake, TS; 1, 4 Nov., 4, 24 Nov., Grenada S.L., GK, MD (R); 2, 12 Nov., Bluff Lake, Noxubee Co., TS; 1 f, 24 Nov., Columbus S.L., TS

LESSER SCAUP -- 475, 21 Mar., Oktibbeha Co. Lake, TS (N); 1, 25 Jul., Laurel S.L., TS (R)

Scaup sp. -- 12,000, 20 Mar., Harrison Co. beaches, JT, CD, LJ (N)

OLDSQUAW -- 20, 15 Feb., Biloxi beach, JT, m.ob.; 1, 7-15 Nov., Waveland S.L., JT, m.ob. (R); 1 f in basic pl, 11-12 Nov., Columbus S.L., TS, JM, GK, MC, JBr (R); 1 f, 19 Nov., Grenada S.L., MD (R)

BLACK SCOTER -- 1 m, 23 Mar., Waveland beach, JT (R); 4, 25 Nov., Biloxi beach, JH, JaH (R); 15, 18 Dec.'89, Gulfport beach, TS (R); 9, 18 Dec.'89, Biloxi beach, TS (R)

SURF SCOTER -- 5, 24 Mar., Bellefontaine Beach, TS (R); 1, 27 Sep., Seaman Rd. S.L., CD (R); 1, 10-13 Nov., Seaman Rd. S.L., JT, m.ob. (R); 1 imm m, 12 & 23 Nov., Choctaw Lake, TS, GK (R); 3 f/imm, 23 Nov., Oktibbeha Co. Lake, TS (R); 1 f/imm, 23 Nov.-3 Dec.'89, Eupora S.L., TS, MC, GK (R); 1, 25 Nov., Biloxi beach, JH, JaH (R); 1 f/imm, 8-20 Dec.'89, Columbus S.L., TS (R); 3, 18 Dec.'89, Biloxi beach, TS (R)

WHITE-WINGED SCOTER -- 1 f/imm, 8 Dec.'88-5 Mar., Oktibbeha Co. Lake, TS, MH, MC, JBr (R); 1 f/imm, 16 Nov.-12 Dec.'89, Oktibbeha Co. Lake, TS, GK, MD (R)

COMMON GOLDENEYE -- 2 f, 1 Dec.'88, Eupora S.L., TS (one bird with yellow bill); 35+, 7 Jan., Pascagoula River, Jackson Co., JT, CD; 1 f, 22 Jan. & 11 Feb., Bluff Lake, Noxubee Co., TS (R); 2, 11 Feb., Starkville south S.L., TS (R); 2, 5 Mar., Oktibbeha Co. Lake, TS; 1, 16 Nov., Oktibbeha Co. Lake, TS (A); 6, 18 Nov., Sardis Dam, MD (E)

BUFFLEHEAD -- 100, 5 Mar., MSU North Farm S.L., TS (N); 1, 12 Apr., Starkville south S.L., TS (D); 3, 13 Apr., Bay Saint Louis, JT (L); 4, 7 Nov., Oktibbeha Co. Lake, TS (A)

HOODED MEGANSER -- 2 broods of 8 & 1, 20 Apr., Noxubee NWR, Winston Co., TS (Rare breeder); 6 imm, 4 Jul., Noxubee NWR, Winston Co., MH (R)

COMMON MERGANSER -- 1, 4-9 Mar., Gulf Islands N.S., CC, JP, SM (R); 1 f, 23-24 Nov., Eupora S.L., TS, MC, MD, GK (R)

RED-BREASTED MERGANSER -- 1, 1 Dec.'88, Oktibbeha Co. Lake, TS (D); 1, 8 Jan., Laurel S.L., TS; 1 m, 5 Mar., Oktibbeha Co. Lake, TS (A); 2, 30 Apr., Oktibbeha Co. Lake, MH, TS (L); 1 f, 12-20 May, Sardis Dam Lower Lake, MD, GK (L); 1 f, 4 Aug., Singing River Is., CD, LJ, GM, JT (R); 1, 12 Dec.'89, Oktibbeha Co. Lake, TS (L)

RUDDY DUCK -- 1, 15 Apr., Starkville south S.L., MH, LC, JR (D)

OSPREY -- 2, 28 Dec.'88, Southern Hancock Co. CBC; 1, 23 Mar., Oktibbeha Co. Lake, TS (E); 1, 3 May, Oktibbeha Co. Lake, TS (L); 1, 16 Jul., Oktibbeha Co. Lake, TS, MH (E); 1, 16 Sep., Clear Creek Rd., Lafayette Co., MD (E); 7-8, 14 Oct., Hancock Co., MH, JT (N)

AMERICAN SWALLOW-TAILED KITE -- 8, 29 Mar., Kiln, CC, JP, SM (N); 1, 2 May, Pearlington, JT, GM, CC, JP; 9, 19 Aug., Petit Bois Is., LJ (N, L)

THE MISSISSIPPI KITE

BLACK-SHOULDERED KITE -- 6, 1 Dec.'88-28 Feb., Lakeshore, Port Bienville, Petite Acres & Kiln, JT, GM, MB, CC, JP, m.ob.; 1-2, 1 Mar.-5 Apr., Lakeshore, JT, m.ob.; 1, 2 May, Pearlington, JT, GM, CC, JP; 1-2, Jun. & Jul., Kiln, JT, GO, m.ob.; 1, 14 & 23 Oct., Hancock Co., JT, MH, NB (N)

MISSISSIPPI KITE -- 1, 4 Apr., Greenville, EA (A); 29 in 41 hours of hawkwatching (max. 10, 23 Apr.), 8 Apr.-5 May, Vicksburg, JBa; 1, 25 April, Pascagoula River WMA, Jackson Co., CC, JP, m.ob. (on nest); 1, 2 May, Pearlington, JT, GM, CC, JP; 9, 9 Jul., Vicksburg, JBa; 1, 6 Aug., Noxubee NWR, Oktibbeha Co., GK, SK (R); 5, 18 Aug., Hancock Co., JT, MH (N); 1 ad, 19 Aug., Columbus, TS (R); 2, 15 Oct., Gautier, CD (L)

BALD EAGLE -- 1-2 ad, 14 Dec.'88-Mar., Noxubee NWR, Noxubee Co., MH, TS, m.ob.; 1 imm, 5 Apr., near Stringtown, Bolivar Co., NHe; 1 ad, 24 Sep.-16 Nov., Kiln, JT, m.ob.; 1 ad, 29 Sep., Sardis Dam Lower Lake, GK (E); 1 imm, 24 Oct., near Stringtown, Bolivar Co., NHe; 1 ad, 7-9 Nov. & 24 Nov.-12 Dec.'89, Oktibbeha Co. Lake, TS, MD; 1 ad, 23 Nov., Eupora S.L., MC; 1 ad, 1 imm, 8-17 Dec.'89, Noxubee NWR, Noxubee Co., TS, m.ob.

NORTHERN HARRIER -- 47, 28 Dec.'88, Southern Hancock Co. CBC (N); 1, 13 May, DeSoto Co., JW (L); 1, 26 Sep., near Choctaw, NHe (A)

SHARP-SHINNED HAWK -- 5, 28 Dec.'88, Southern Hancock Co. CBC; 1, 9 May, Noxubee NWR, Winston Co., TS (D)

COOPER'S HAWK -- 1, 17 Dec.'88, Noxubee Co., TS, MH; 2, 28 Dec.'88, Southern Hancock Co. CBC; 1, 21 Jan., Lowndes Co., TS, MH; 1, 13 Apr., Greenville, EA; 1 ad, 22 Apr., High Point Reservoir, TS (L); 1 ad, 12 Aug., Texas Flat Rd., JT (R); 1 ad, 28 Aug., north Biloxi, GM (R); 1 imm, 27 Sep., Golden Triangle Airport, TS (A)

HARRIS' HAWK -- 1, 1 Dec.'88, PRM, DRu, CD (R - photographed)

BROAD-WINGED HAWK -- 250 in 41 hours of hawkwatching, (16, 8 Apr., 118, 16 Apr., 95, 17 Apr.), 8 Apr.-5 May, Vicksburg, JBa; 1, 9 Apr., Columbus, TS (A); 130, 1 Oct., Winston Co., TS (N,D)

RED-TAILED HAWK -- 1 "Krider's", 3 Dec.'88, Tunica Airport, GK, TS; 1 "Krider's", 22 Jan., Prairie Point, TS (R); 1 dark morph, 22 Jan., near Brooksville, TS; 1 dark morph, 22 Jan. & 11 Feb., Noxubee NWR, Noxubee Co., TS; 1 ad at nest, 12 Mar., 2 young in nest, 17 Mar., Bolivar Co., NHe

AMERICAN KESTREL -- 1, 25 Aug., Bolivar Co., NHe (A); 13, 28 Sep., Kiln, JT, GM (N)

MERLIN -- 1, 3 Dec.'88, Lakeshore, GM, CC, JT; 3, 28 Dec.'88, Southern Hancock Co. CBC, (N); 1, 17 Jan., Sardis Waterfowl Ref., GK, BB (R); 1, 18 Apr., East Ship Is., JT, PD; 1, 20 Apr., Ansley, PD, LD, JT, CC; 1, 29 Apr., Clermont Harbor, JT, CC; 1, 22 Sep., Kiln, JT, MH, TS, m.ob. (A); 1, 10 & 12 Oct., Sardis Waterfowl Ref., GK, VT (R)

PEREGRINE FALCON -- 1 ad, 7 Jan. PRM, JT, CD; 1 ad, 1 May, Sardis Lake, Lafayette Co., GK, VT (R); 1, 2 May, Kiln, JT, GM, CC, JP; 1, 13 & 27 Sep., Clear Creek Rd., Lafayette Co., GK, VT (R); 1, 15 Sep., Sardis Waterfowl Ref., GK, VT (R); 2-3, 26-28 Sep., Kiln, MH, CC, JP, m.ob.; 1 imm, 1 Oct., Oktoc Rd., Oktibbeha Co., TS (R); 2, 28 Oct., near Horn Is., JT, m.ob.

WILD TURKEY -- 4, 28 Dec.'88, Southern Hancock Co. CBC

YELLOW RAIL -- 1-2, 14 Oct.-30 Nov., Kiln, JT, MH, GM, m.ob. (R); 1, 31 Oct., Mississippi Sandhill Crane NWR, CD (R)

VIRGINIA RAIL -- 1, 6 Sep., PRM, MH (A)

SORA -- 1 ad, 9 Apr., Columbus S.L., TS (A); 1, 30 Apr., Noxubee NWR, Winston Co., MH, TS

COMMON MOORHEN -- 1 imm, 12-18 Oct., Starkville south S.L., TS (R)

AMERICAN COOT -- 1, 23 May, Columbus S.L., TS, GW (L)

SANDHILL CRANE -- 1 imm, 17 Nov., Benoit, NHe (R)

BLACK-BELLIED PLOVER -- 1, 19 & 22 May, Sardis Dam Lower Lake, MD, GK (R, L)

LESSER GOLDEN-PLOVER -- 1-42, 8 Mar.-15 Apr., A & D Turf Farm, GK, SK, MD (seen 19 dates); 100, 25 Mar., Bayou Cassotte, JT, JP; 298, 3 Apr., Quitman Co., GK (N); 3, 19 Apr., near Choctaw, NHe; 1, 11 & 30 Jul., Catalpa Creek Bottoms, TS (R,E); 1-6, 3-30 Sep., Clear Creek Rd., Lafayette Co., MD, GK (R); 1-2, 22-28 Sep., Kiln, JT, m.ob.; 1 dominica, 22 Nov.-5 Dec.'89, A & D Turf Farm, GK, SK, MD, TS (R, L)

SNOWY PLOVER -- 5, 4 Aug., Horn Is., JT, CD, GM, LJ; 1, 25 Nov., Anderson Is., MH, PR, MN

WILSON'S PLOVER -- 3, 4 Aug. spoil Is. near PRM, JT, CD, GM, LJ; 1, 26 Nov., PRM, MH, PR (L)

THE MISSISSIPPI KITE

SEMIPALMATED PLOVER -- 1-2, 13-30 Apr., near Choctaw, NHe; 3, 29 Apr., Starkville south S.L., TS (A); 11, 2 May, Starkville south S.L., TS (N); 1, 4 May, Columbus S.L., TS (D); 1, 20 May, Tunica Co., MD (L)

PIPING PLOVER -- 1, 4 Aug., Horn Is., JT, CD, GM, LJ (A); 2, 14 Aug., Clear Creek Rd., Lafayette Co., GK, SK (R)

MOUNTAIN PLOVER -- 1, 17 Dec.'88-10 Jan., Grenada Lake, Grenada Co., MD, GK, m.ob. (R - photographed, first state record)

AMERICAN OYSTERCATCHER -- 2-6, 3 Dec.'88-28 Feb., Waveland beach, JT, DC, GO, m.ob.; 2, 13 May, PRM, TS (defending territory); 3, 13 May, Greenwood Is., TS; 1, 25 Aug., spoil Is. near PRM, LJ; 1, 27 Aug., Bay Saint Louis beach, JT; 2, 28 Oct., Petit Bois Is., JT, m.ob.; 1, 28 Oct., Horn Is., JT, m.ob.; 4, 5 Nov., PRM, JT, m.ob.; 1-5, 24-30 Nov., Waveland beach, JT, MH, m.ob.

BLACK-NECKED STILT -- 104 ad, 2 downy chicks, 29 May, PRM, MH (N)

AMERICAN AVOCET -- 1 in basic pl, 28 Sep., Waveland beach, JT, GM (R)

GREATER YELLOWLEGS -- 1, 6 Jan., Oktibbeha Co. Lake, TS (R); 1, 22 Jan., Blocker's Bottom, TS (R); 1, 10 Jul., Catalpa Creek Bottoms, MH (E); 16, 24 Nov., Lowndes Co., TS (N)

LESSER YELLOWLEGS -- 364, 3 Apr., Quitman Co., GK (N); 6, 4 May, Columbus S.L., TS (D); 5, 10 Jul., Catalpa Creek Bottoms, MH, TS (E); 1, 24 Nov., Golden Triangle Airport, TS (L)

SOLITARY SANDPIPER -- 2, 31 Mar., Oktibbeha Co., TS (A); 1, 16 Jul., Catalpa Creek Bottoms, MH, TS, MC (E)

WILLET -- 1, 28 Apr., A & D Turf Farm, GK, VT (R); 10, 28 Apr., Sardis Waterfowl Ref., GK, VT (R); 4, 29 Apr., Oktibbeha Co. Lake, TS (R); 1, 30 Apr., Columbus S.L., TS, MH (R); 1, 14 Aug., Clear Creek Rd., Lafayette Co., GK, SK (R)

SPOTTED SANDPIPER -- 1, 3 Mar., Water Valley S.L., GK (E); 1, 15 Mar., MSU North Farm S.L., TS (A); 3, 23 May, Lowndes Co., TS, GW (D)

UPLAND SANDPIPER -- 1, 1-9 Apr., A & D Turf Farm, GK, SK, MD; 1, 10 Apr., Gulfport, JT, CC, JP, MB, GM; 4, 2 May, Bayou Cassotte, JT, GM, CC, JP (L); 1, 23 Aug., Clear Creek Rd., Lafayette Co., GK (R)

WHIMBREL -- 3, 2 May, Greenwood Is., JT, GM, CC, JP

MARBLED GODWIT -- 1, mid-Jul., Horn Is., CD; 1, 27-30 Aug., Waveland beach, JT, NB

RUDDY TURNSTONE -- 1, 22 May, Sardis Dam Lower Lake, MD; 1, 9 Sep., Sardis Dam Lower Lake, JuB, MD (R)

RED KNOT -- 1, 29 Aug., Clear Creek Rd., Lafayette Co., GK (R); 2, 6-9 Sep., PRM, MH, m.ob.

SANDERLING -- 10, 23 Jul., West Ship Is., TS (E); 8, 11 Sep., Clear Creek Rd., Lafayette Co., GK, SK, MD (R); 2, 14 Sep., Sardis Dam Lower Lake, GK, SK, MD (R)

SEMIPALMATED SANDPIPER -- 1, 29 May, Columbus S.L., TS (L); 1 juv., 13-19 Oct., Starkville south S.L., TS (L); 1 in basic pl, 14 Oct., Kiln, MH, JT, m.ob. (L)

WESTERN SANDPIPER -- 6, 16 Jul., Catalpa Creek Bottoms, MH, TS (E); 1, 1 Oct., Starkville south S.L., TS (L)

LEAST SANDPIPER -- 2, 11 Dec.'88, Starkville south S.L., MH (D); 160, 4 May, Columbus S.L., TS (N); 12, 10 May, Starkville south S.L., TS (D); 54, 20 Dec.'89, Columbus S.L., TS (N)

WHITE-RUMPED SANDPIPER -- 1, 4 & 23 May, Columbus S.L., TS, GW; 2, 27 Aug., 1, 31 Aug., Clear Creek Rd., Lafayette Co., GK (R); 1 in basic pl, 26 Sep., Kiln, MH, JT (R)

BAIRD'S SANDPIPER -- 1, 10 Apr., Bay Saint Louis, JT, CC, MB, JP, GM (R); 2, 30 Aug., 4, 12 Sep., Clear Creek Rd., Lafayette Co., GK (R); 1, 3 Sep., Kiln, NB (R); 1, 6-7 Sep., A & D Turf Farm, GK, MD (R); 1, 23-24 Oct., Sardis Waterfowl Ref., GK, TS (R)

PECTORAL SANDPIPER -- 255, 3 Apr., Quitman Co., GK (N); 1, 4 May, Columbus S.L., TS (D); 1, 11 Jul., Catalpa Creek Bottoms, TS (E)

PURPLE SANDPIPER -- 2, 2 Dec.'88-2 May, Gulfport harbor, JT, m.ob. (R - 4th state record); 1, 28 Nov.-31 Dec.'89, Gulfport harbor, JT, m.ob. (R - 5th state record).

DUNLIN -- 1-3, 29 Apr.-2 May, 15, 4 May, near Choctaw, NHe; 2, 4 May, Columbus S.L., TS (R); 3, 11 Oct., Clear Creek Rd., Lafayette Co., GK (E)

STILT SANDPIPER -- 1, 1 May, Sardis Waterfowl Ref., GK, VT (R); 50, 12 Oct., Kiln, JT, GM (N); 1, 24 Nov., Kiln, MH, JT, JPi (D)

THE MISSISSIPPI KITE

BUFF-BREASTED SANDPIPER -- 2, 23 Mar., 1, 24 Mar., Bayou Cassotte, CC, GM, SM, TS (E); 1-3, 31 Aug.-11 Sep., Clear Creek Rd., Lafayette Co., GK, SK (R); 2, 26 Sep., Kiln, MH, CC, JP, m.ob.

RUFF -- 1, 21 Aug., Clear Creek Rd., Lafayette Co., GK, SK, VT (R - 4th state record)

SHORT-BILLED DOWITCHER -- 1, 1 May, Sardis Waterfowl Ref., GK, VT (R); 3, 11 Jul., Catalpa Creek Bottoms, TS (E)

LONG-BILLED DOWITCHER -- 21 in alternate pl, 29 Apr., Starkville south S.L., TS (R)

Dowitcher sp. -- 1, 17 Apr., 2, 29 Apr., near Choctaw, NHe

COMMON SNIPE -- 2, 30 Apr., Noxubee NWR, Winston Co., MH, TS (L)

AMERICAN WOODCOCK -- 1, 22 May, Oktoc, TS; 1, 3 Jun., near Macon, TS

WILSON'S PHALAROPE -- 12, Apr.-2 May, PRM, CD, m.ob.; 1, 10 Aug., 7, 16 Aug., 1, 21 Aug., Clear Creek Rd., Lafayette Co., GK (R); 3, 10 Sep., Kiln, NB

RED-NECKED PHALAROPE -- 1 in basic pl, 31 Aug.-2 Sep., PRM, MH, m.ob. (R)

RED PHALAROPE -- 1, 18 Oct., Seaman Rd. S.L., PR, CC, JP, MH (R)

PARASITIC JAEGER -- 1, 3 Feb., Mississippi Sound, Jackson Co., TSi (R); 1, 18 Nov., near Horn Is., MH, JT, m.ob. (R)

LAUGHING GULL -- 1 ad/subad, 20 Jan., Sardis Dam Lower Lake, MD, JT (R); 1 ad, 19 Apr., Oktibbeha Co. Lake, TS (R); 3-6 ad, 8 May-2 Jun., Sardis Dam Lower Lake, MD, GK (N, L); 1 ad, 20 May, DeSoto Co., MD; 1 imm, 7 & 9 Sep., Sardis Dam Lower Lake, MD, GK, SK (R); 1 ad in basic pl, 30 Sep., Eupora S.L., TS (R)

FRANKLIN'S GULL -- 1 in 1st winter pl, 7 Dec.'88-9 Feb., Sardis Dam Lower Lake, MD, JT, GK, SK (R); 1 ad, 7 Mar., Sardis Dam Lower Lake, GK (R); 1 imm, 29 Sep.-1 Oct., Sardis Dam Lower Lake, GK, MD (R, E); 1, 8 Oct., Gulfport beach, MH (E); 4, 31 Oct., Waveland beach, JT; 4, 9 Nov., 2, 10 Nov., Sardis Waterfowl Ref., VT, GK (R); 1 imm, 12 Nov., Bluff Lake, Noxubee Co., TS (R)

BONAPARTE'S GULL -- 30, 16 Dec.'88, Oktibbeha Co. Lake, TS (N); 1, 6 Jan., Eupora S.L., TS; 1, 6 Jan., Oktibbeha Co. Lake, TS; 1, 21 Jan., Columbus Lake, Lowndes Co., TS, MH; 5, 19 Apr., Oktibbeha Co. Lake, TS (L); 1, 5 Nov., Jackson Co., MH (A); 1, 9 Nov., Oktibbeha Co. Lake, TS (E)

RING-BILLED GULL -- 170, 11 Dec.'88, Oktibbeha Co. Lake, MH (N); 1, 11 May, Bluff Lake, Noxubee Co., TS (L); 3, 4 Aug., near Singing River Is., CD, LJ, GM, JT; 3 ad, 3 Sep., Sardis Dam, MD (E)

HERRING GULL -- 3 ad, 5 Mar., Oktibbeha Co. Lake, TS; 1 imm, 8 Apr., Oktibbeha Co. Lake, TS; 3 imm, 4 May, Oktibbeha Co. Lake, TS; 1 imm, 17 Nov., Oktibbeha Co. Lake, TS; 1 imm, 8 Dec.'89, Bluff Lake, Noxubee Co., TS; 4 imm, 12 Dec.'89, Oktibbeha Co. Lake, TS (N)

LESSER BLACK-BACKED GULL -- 1 ad, 1 Dec.'88-3 Jan., Gulfport beach, JT, GK, SK, m.ob. (R); 1 ad, 3 Oct., Gulfport, JT, JP, CC (R); 1 ad, 7 Oct., Long Beach harbor, TS, ES (R); 1 ad, 28 Nov.-31 Dec.'89, Biloxi beach, JT, m.ob. (R, 7th winter at this locality)

GLAUCOUS GULL -- 1 in 2nd winter pl, 31 Oct., Harrison Co. beach, VL (R)

BLACK-LEGGED KITTIWAKE -- 1 ad in basic pl, 2-3 Dec.'89, Grenada Dam, GK, SK, TS (R)

SABINE'S GULL -- 1 in 1st winter pl, 24 Sep., Kiln, GO, JT, DC (R, 3rd state record)

GULL-BILLED TERN -- 1 ad in alternate pl, 16 Jul., Catalpa Creek Bottoms, TS, MH (R - 1st inland record for state)

CASPIAN TERN -- 2, 8 & 29 Apr. & 10 May, Oktibbeha Co. Lake, TS; 200, 4 Aug., near Horn Is., JT, CD, LJ, GM (N); 1, 13 Aug., Sardis Lake, Lafayette Co., GK, SK (E); 2, 16 Aug., Sardis Waterfowl Ref., GK, VT (E); 5, 10 Sep., Bluff Lake, Noxubee Co., TS

Royal and Sandwich Terns -- 10,000 (7000 non-flying young & 3000 adults), 4 Aug., Anderson Is., JT, CD, GM, LJ (N)

SANDWICH TERN -- 1, 25 Nov., Petit Bois Is., MH (D)

COMMON TERN -- 5, 4 Aug., Horn & Anderson Is., CD, LJ, GM, JT; 1 imm, 30 Sep., Eupora S.L., TS (R); 1, 25 Nov., Hancock Co. beach, NB, (R)

THE MISSISSIPPI KITE

FORSTER'S TERN -- 1-26, 22 Dec.'88 - 7 Mar., Sardis Dam Lower Lake, MD, GK, m.ob. (N); 1 imm., 9 Feb., Eupora S.L., TS (E); 15, 10 May, Oktibbeha Co. Lake, TS (N,L); 75, 10 May, Sardis Dam Lower Lake, MD (N); 1, 7 Dec.'89, Oktibbeha Co. Lake, TS (L)

LEAST TERN -- 1, 22 May, 3, 30 May, Sardis Dam Lower Lake, MD, GK (R); 1, 21 Aug., Clear Creek Rd., Lafayette Co., GK (R); 1, 23 & 26 Aug., Oktibbeha Co. Lake, TS, LW

BLACK TERN -- 2 in alternate pl, 29 Apr., Lakeshore, JT, CC (A); 3, 5 May, Canton S.L., MD (R); 20, 13 May, near Shaw, NHe; 12, 14 May, near Choctaw, NHe

WHITE-WINGED DOVE -- 1, 27 Oct., Greenwood Is., MD, GK (R); 1, 29 Oct., Port Bienville, GK, JT, MD, m.ob. (R)

COMMON GROUND-DOVE -- 2, 20 Dec.'88, Grenada Lake, Yalobusha Co., MD, GK (R); 1, 22 Sep., Kiln, JT (R)

BLACK-BILLED CUCKOO -- 1, 16 Apr., Biloxi, PD, LD, JT (R); 1, 15 May, Sardis Waterfowl Ref., GK, VT (R); 1, 15-20 May, Oxford, MD (R)

YELLOW-BILLED CUCKOO -- 1, 23 Apr., near Columbus, TS (A)

GROOVE-BILLED ANI -- 1-2, 14-15 Oct., Ansley, GO, DC, MH, JT, NB (R); 1, 19 Nov., Kiln, GK, TS, CC, MH (R)

EASTERN SCREECH-OWL -- 6, 18 Aug., Hancock Co., JT, MH (N)

GREAT HORNED OWL -- nest with 3 young, 24 Feb.-12 Mar., Bolivar Co., NHe; nest with 2 young, 5 Mar.-8 Apr., Bolivar Co., NHe; 2, 14 Oct., near Choctaw, NHe

SHORT-EARED OWL -- 2, 1 Dec.'88-18 Mar., near Starkville, TS, m.ob.; 1, 30 Jan., Kiln, FB, GB (R); 1, 14 Jan., Port Bienville, GO, DC (R); 1, 12 Mar., Quitman Co., GK, SK (R); 2, 21 Oct., near Starkville, TS (A); 3, 19 Nov., 5, 3 Dec.'89, Grenada Airport, MD (R); 3, 1-31 Dec.'89, near Starkville, TS

COMMON Nighthawk -- 1, 25 Apr., Starkville, MH (A); 30, 29 Apr., Hancock Co., JT, CC

CHUCK-WILL'S-WIDOW -- 1, 9 May, Greenville, EA; 1, 12 Nov., Ansley, NB (L)

WHIP-POOR-WILL -- 1, 21 Oct., Ansley, NB (R); 1, 12 Nov., Jackson Marsh, JT (R)

CHIMNEY SWIFT -- 6, 19 Mar., Columbus S.L., TS (E); 3, 21 Oct., Lowndes Co., TS (L)

BUFF-BELLIED HUMMINGBIRD -- 1 ad, Nov.'88-12 Apr., Bay Saint Louis, LS, m.ob. (R); 1, 8-17 Oct., Biloxi, CA, m.ob. (R)

RUBY-THROATED HUMMINGBIRD -- 1 m, 4 Apr., Starkville, JMc, MMC (A); 1, 9 Oct., Starkville, MC (L); 1, 14 Oct., Batesville, MD (L); 1 f, 22 Oct., Oxford, SD (L)

BLACK-CHINNED HUMMINGBIRD -- 2 imm m, 4 Dec.'88-28 Feb., Biloxi, GM, m.ob. (R - banded by BS, MS on 14 Jan.)

BLACK-CHINNED HUMMINGBIRD (probable) -- 3, 29 Oct.-11 Nov., Hancock & Harrison Cos., JT, LS, GM, m.ob.

RUFOUS HUMMINGBIRD -- 1, imm f, 14 Sep.'88-26 Mar., Cleveland, TW, NHe (R - banded by BS, MS); 2 m, 13 Jan., Waveland, BS, MS (R - banded); 1 f, 13 Jan., Picayune, BS, MS (R - banded); 1 m, 13 Jan., Bay Saint Louis, BS, MS (R - banded); 1 f, 14 Jan., Gulfport, BS, MS (R - banded); 1 f, 14 Jan., Biloxi, BS, MS (R - banded); 1 imm f, 18 Jan.-11 Apr., Starkville, JMc, MMC, TS, m.ob. (R - banded by BS, MS); 1 ad m, 26 Feb., Ocean Springs, MT (R)

Selasphorus sp. -- 1 imm m, 7 Nov.'88-11 Feb., Kosciusko, LL (R)

Hummingbird sp. -- 1, 24 Oct., Oxford, SD

YELLOW-BELLIED SAPSUCKER -- 1, 27 Sep., near Winterville, NHe (A)

OLIVE-SIDED FLYCATCHER -- 1, 20 May, Sardis Waterfowl Ref., MD (R); 1, 26 Aug., Webster Co., TS (R); 1, 22 Sep., Logtown, JT, MP (R); 1, 6 Oct., Biloxi, GM (R)

YELLOW-BELLIED FLYCATCHER -- 13, 1st captured 11 Apr., East Ship Is., FM, AK, TSi (R); 2, 2 May, Ansley, JT, GM, JP, CC (R); 1, 28 Sep., Oxford, GK (R); 1, 6 Oct., Pascagoula River WMA, Jackson Co., JT, CC, JP, MP (R)

ACADIAN FLYCATCHER -- 1, 22 Apr., Winston Co., TS (A)

Empidonax sp. (Traill's complex) -- 1, 15 Aug., Kiln, JT, GM, SM (R,A)

LEAST FLYCATCHER -- 4, 1st captured 9 Apr., East Ship Is., FM, AK, TSi (R); 1, 10 Sep., Louisville south S.L., TS (R)

THE MISSISSIPPI KITE

Empidonax sp. -- 35-40, 6 Oct., Pascagoula River WMA, Jackson Co., JT, CC, JP, MP (mostly Traill's complex); 1, 15 Nov., Waveland S.L., JT (L - probably Least)

VERMILION FLYCATCHER -- 1 f, 28-29 Dec. '88 & 4 Jan., Jackson Marsh, JT, TH, MD (R); 1 m, 8 Oct., Seaman Rd. S.L., BR, ER, KC (R); 1 2nd winter m, 9 Oct.-30 Nov., Port Bienville, JT, LK, AD, MF (R)

GREAT CRESTED FLYCATCHER -- 3, 13 Apr., Noxubee & Oktibbeha Cos., MH (A); 1, 10 Oct., Sardis Waterfowl Ref., GK, VT (L)

WESTERN KINGBIRD -- 1 imm, 16 Aug., Waveland S.L., JT (R,E); 1, 7 Oct., Lucky's Corner, TS (R); 1, 8 Oct., Waveland S.L., GM, CC, MB (R)

EASTERN KINGBIRD -- 1, 26 Mar., Noxubee NWR, Noxubee Co., MH, RD, DI (E); 1, 27-30 Sep., Lafayette Co., GK, SK (L)

GRAY KINGBIRD -- 1, 29 Oct., Port Bienville, JT, MH, MD, m.ob. (R,L)

SCISSOR-TAILED FLYCATCHER -- 1 m, 20 Dec. '88-3 Feb., Biloxi, GM, JT (R); 1 m, 1 f, 13 Jun.-23 Jul., Brooksville, RW, EP, TS, MH, MC, m.ob. (R - nested but apparently unsuccessful); 1, 23 Sep., Ansley, NB (R); 3, 8 Oct., Hancock Co., CC, MH, JP (R,N); 1, 12 Nov., Port Bienville, NB (R)

PURPLE MARTIN -- 6, 25 Jan., Greenville, WR (A); 1, 13 Feb., Greenville, EA; 2, 22 Feb., Starkville, MC (A)

TREE SWALLOW -- 500,000, 28 Dec. '88, Southern Hancock Co. CBC, BC (N); 2, 5 Mar., Oktibbeha Co. Lake, TS (A); 400+, 10 Apr., Kiln, JT, m.ob. (N); 10, 2 Sep., Waveland S.L., JT (A); 1000+, 1 Oct., Mississippi River levee, Bolivar Co., NHe (N)

NORTHERN ROUGH-WINGED SWALLOW -- 35, 10 Jun., Kiln, JT (N)

BANK SWALLOW -- 3, 1 Apr., Noxubee NWR, Noxubee Co., MH, TS (E); 1, 23 May, Columbus S.L., TS, GW (L)

CLIFF SWALLOW -- spring, Hancock Co., JT (nesting three places); 1, 30 Apr., Columbus S.L., MH, TS (D)

BARN SWALLOW -- 1, 15 Mar., MSU North Farm, TS (A); 1, 29 Mar., near Choctaw, NHe (A); 2, 22 Oct., Loakfoma Lake, TS (D); 3, 24 Nov., Lakeshore, MH, JP, JT (L)

FISH CROW -- 2, 4 Jul., Noxubee NWR, Noxubee Co., MH; 75, 4 Nov., near Columbus, TS (N); 1, 25 Nov., Columbus Lake, Lowndes Co., TS (D)

RED-BREASTED NUTHATCH -- 1, 1 Dec.'88-15 Apr., Starkville, NH; 3, 23 Dec.'88-20 Jan., Sardis Dam, MD; 1, 8 Oct., Waveland S.L., GM, CC, MB (A)

BROWN CREEPER -- 1, 9 Apr., Columbus Lake, Lowndes Co., TS (L)

BEWICK'S WREN -- 1, 17 Dec.'88-22 Jan., Grenada Lake, Grenada Co., GK, SK, MD (R); 1, 22 Dec.'88-12 Feb., near Oxford, MD, GK, SK (R); 1, 13 Jan., Enid Lake, Yalobusha Co., GK, SK, MD (R); 1, 2 Dec.'89, Grenada Lake, Yalobusha Co., GK, SK, TS (R)

HOUSE WREN -- 1, 22 Apr., Greenville, EA; 1, 1 Oct., Noxubee NWR, Winston Co., TS (E); 1, 26 Nov., Oktibbeha Co. Lake, TS (L)

WINTER WREN -- 3, 9 Apr., Lowndes Co., TS (L); 1, 26 Nov., Pascagoula River WMA, Jackson Co., MH, PR (A)

SEDGE WREN -- 2, 17 Dec.'88, Noxubee NWR, Noxubee & Winston Cos., MH (R); 1, 25 Jan., near Starkville, TS (R); 2, 22 Apr., High Point Reservoir, TS; 1, 3 May, Lafayette Co., MD (R); 1, 29-30 Sep., Lafayette Co., GK, MD (E); 5, 22 Oct., Noxubee NWR, Noxubee Co., TS (N)

MARSH WREN -- 3, 20 Apr., 1, 30 Apr., Noxubee NWR, Winston Co., TS; 1, 5 May, Grenada Dam, MD (R)

GOLDEN-CROWNED KINGLET -- 3, 9 Apr., near Columbus, TS (L)

RUBY-CROWNED KINGLET -- 1, 23 Apr., near Columbus, TS (D); 1, 7 May, Greenville, EA (D); 1, 10 May, 2, 16 May, near Oxford, GK, SK (L)

BLUE-GRAY GNATCATCHER -- 4, 2 Apr., Greenville, EA (A); 1, 16-17 Oct., Lafayette Co., GK, SK (L); 1, 21 Oct., near Columbus, TS (L); 1, 2 Dec.'89, Grenada Lake, Yalobusha Co., GK, SK, TS (R)

EASTERN BLUEBIRD -- 39, 7 Oct., Lafayette Co., MD (N)

VEERY -- 1, 15 Apr., East Ship Is., JT (E); 1, 16 Apr., Ansley, MH, TS (E); 70, 20 Apr., Ansley, JT, PD, LD, CC (N); 1, 29 Apr., Greenville, EA

THE MISSISSIPPI KITE

GRAY-CHEEKED THRUSH -- 1, 16 Apr., Greenville, EA (A); 5, 20 Apr., Ansley, PD, LD, JT, CC; 1, 23 Apr., Golden Triangle Airport, TS; 15, 5 May, Gulfport, JT (N)

SWAINSON'S THRUSH -- 20, 20 Apr., Ansley, JT, PD, LD, CC (N); 1, 22 Apr., Greenville, EA (A); 1, 29 Apr., Jeff Busby Park, TS (A); 3, 13 May, Greenville, EA

WOOD THRUSH -- 40, 20 Apr., Ansley, JT, PD, LD, CC (N); 1, 22 Apr., Greenville, EA

GRAY CATBIRD -- 2, 22 Apr., Winston Co., TS (A); 1, 25 Apr., Greenville, EA (A); 1, 1 Aug., Waveland S.L., LJ, CD, JT (R); 1, 12 Nov., Noxubee NWR, Noxubee Co., TS (L)

CEDAR WAXWING -- 15, 25 May, Starkville, TS, MH (L)

WHITE-EYED VIREO -- 1, 22 Jan., Noxubee NWR, Noxubee Co., TS (R); 236 netted, spring, East Ship Is., FM, AK, TSi (N); 1, 11 Apr., Greenville, EA (A); 1, 4 Nov., near Columbus, TS (L)

SOLITARY VIREO -- 1, 22 Dec.'88, Sardis Waterfowl Ref., GK, SK, VT; 1, 4 Feb., Grenada Lake, Yalobusha Co., GK, SK, VT; 1, 23 Apr., near Columbus, TS (D); 1, 12 Oct., Spence's Woods, JT, BoF, BeF (E); 1, 21 Oct., near Columbus, TS (E)

YELLOW-THROATED VIREO -- 1, 19 Mar., near Columbus, TS (A); 20, 20 Apr., Ansley, JT, PD, LD, CC (N)

WARBLING VIREO -- 1, 8 Sep., near Winterville, NHe; 1, 10 Sep., Louisville south S.L., TS (R)

PHILADELPHIA VIREO -- 1, 3 May, Vicksburg NMP, JBa (R); 1, 26 Sep., Kiln, MH, CC, JP, m.ob.; 1, 12 Oct., Hancock Co., CC, JP, CD; 1, 14 Oct., Golden Triangle Airport, TS (L)

RED-EYED VIREO -- 1, 9 Apr., near Columbus, TS (A); 1, 16 Apr., Greenville, EA; 150, 20 Apr., Ansley, JT, PD, LD, CC (N)

BLACK-WHISKERED VIREO -- 1 netted, 22 Apr., East Ship Is., FM, AK, TSi (R - 5th state record)

BLUE-WINGED WARBLER -- 1, 24 Mar., Bellefontaine Beach, TS (E); 2, 8 Apr., Noxubee & Oktibbeha Cos., TS, JM (A); 12, 10 Apr., Ansley, JT, CC, MB, JP, GM (N); 1, 22 Apr., High Point Reservoir, TS (D)

GOLDEN-WINGED WARBLER -- 1 netted, 9 Apr., East Ship Is., FM, AK, TSi, (E); 2, 10 Apr., Ansley, JT; 2, 4 Sep., Golden Triangle Airport, TS (E); 1, 1 Oct., Noxubee NWR, Noxubee Co., TS (L)

"Brewster's" Warbler -- 1, 2 Oct., Gulf Islands N.S., CC, JP (R)

TENNESSEE WARBLER -- 1, 1 May, Greenville, EA; 4, 11 May, Noxubee NWR, Winston Co., TS (D)

ORANGE-CROWNED WARBLER -- 1, 8 Dec.'88, Eupora S.L., TS; 1, 22 Jan., Noxubee NWR, Noxubee Co., TS (R); 1, 2 Dec.'89, Grenada Lake, Yalobusha Co., GK, SK, TS (R)

NASHVILLE WARBLER -- 1, 23 Apr., near Columbus, TS; 1, 11 Oct., Waveland S.L., JT (R)

NORTHERN PARULA -- 3, 18 Mar., Noxubee NWR, Noxubee Co., TS (E); 1, 14 Oct., Golden Triangle Airport, TS (L)

YELLOW WARBLER -- 1, 13 Apr., Starkville, MH (E)

CHESTNUT-SIDED WARBLER -- 1 netted, 9 Apr., East Ship Is., FM, AK, TSi (E); 1, 14 Apr., Greenville, EA (A); 1, 21 May, Ocean Springs, JP (L); 1, 4 Sep., Golden Triangle Airport, TS (A)

MAGNOLIA WARBLER -- 1, 29 Apr., Jeff Busby Park, TS (A); 1, 7 May, 4, 13 May, Greenville, EA; 1 imm, 15 Nov., Waveland S.L., JT (L)

CAPE MAY WARBLER -- 1 netted, 20 Apr., East Ship Is., FM, AK, TSi (R)

BLACK-THROATED BLUE WARBLER -- 1 netted, 30 Apr., East Ship Is., FM, AK, TSi (R)

YELLOW-RUMPED WARBLER -- 2506, 28 Dec.'88, Southern Hancock Co. CBC; 1, 11 May, Noxubee NWR, Winston Co., TS (L); 1, 24 Sep., J.P. Coleman S.P., MD, MH, TS, LW (E)

BLACK-THROATED GREEN WARBLER -- 1, 1 Apr., Noxubee NWR, Noxubee Co., MH, TS (A); 2, 21 Oct., near Columbus, TS (D)

BLACKBURNIAN WARBLER -- 2, 29 Apr., Jeff Busby Park, TS (A); 3, 11 May, Noxubee NWR, Winston Co., TS (L)

YELLOW-THROATED WARBLER -- 5, 18 Mar., Noxubee & Oktibbeha Cos., TS (A)

PRAIRIE WARBLER -- 1, 28 Dec.'88, Lakeshore, TH (R)

PALM WARBLER -- 1, 1 Apr., Noxubee NWR, Noxubee Co., TS, MH (A); 1, 30 Apr., Noxubee NWR, Winston Co., MH, TS (D)

THE MISSISSIPPI KITE

BAY-BREASTED WARBLER -- 2, 29 Apr., Jeff Busby Park, TS (E); 1, 11 May, Noxubee NWR, Winston Co., TS (D)

BLACKPOLL WARBLER -- 2, 11 May, Noxubee NWR, Winston Co., TS (L)

CERULEAN WARBLER -- 4, 1 May, Vicksburg NMP, JBA

AMERICAN REDSTART -- 1, 20 May, Greenville, EA; 1, 18 Oct., Oktibbeha Co. Lake, TS (L)

PROTHONOTARY WARBLER -- 1, 26 Mar., Noxubee NWR, Oktibbeha Co., MH, RD, DI (E); 1, 26 Sep., Spence's Woods, CC, JP, MH (D)

WORM-EATING WARBLER -- 1, 15 Apr., Greenville, EA (A); 1, 8 Aug., Pascagoula River WMA, Jackson Co., LJ (A); 1, 15 Aug., Spence's Woods, JT, SM, GM; 1, 28 Sep., Starkville, TS (L)

SWAINSON'S WARBLER -- 1-2, 23 Apr. & 23 May, near Columbus, TS, GW; 1, 29-30 Apr., near Eupora, TS; 12, Jun. & Jul., Hancock Co., JT (N); 1, 8 Jul., Noxubee NWR, Oktibbeha Co., MH, TS; 1, 9 Sep., Clay Co., TS (L)

OVENBIRD -- 10, 20 Apr., Ansley, JT, PD, LD, CC (N); 1, 30 Apr., 2, 13 May, Greenville, EA

NORTHERN WATERTHRUSH -- 1, 23 Apr., Golden Triangle Airport, TS (E); 1, 30 Apr., Noxubee NWR, Noxubee Co., MH & TS (L)

LOUISIANA WATERTHRUSH -- 5, 18 Mar., Oktibbeha Co., TS (A); 1, 12 Jul., Gulfport, JT (R)

KENTUCKY WARBLER -- 2, 9 Apr., near Columbus, TS (E); 1, 17 Apr., Greenville, EA

MOURNING WARBLER -- 1, 14 May, Greenville, EA (R - banded)

WILSON'S WARBLER -- 1 m, 30 Apr., Vicksburg NMP, JBA (R); 1 netted, 7 May, East Ship Is., FM, AK, TSi (R); 1 m, 16 May, Sardis Waterfowl Ref., MD (R); 1, 17 May, Greenville, EA; 1, 3 Sep., Waveland S.L., JT (E); 1, 4 Sep., Golden Triangle Airport, TS; 1, 30 Nov., Waveland S.L., JT (L)

CANADA WARBLER -- 1, 3 Sep., Waveland S.L., JT (A)

SUMMER TANAGER -- 1, 15 Apr., Jeff Busby Park, MH, LC, JR (A); 1, 16 Apr., Greenville, EA (A); 2, 26 Nov., Pascagoula River WMA, Jackson Co., MH, PR (R)

SCARLET TANAGER -- 1, 30 Jan., Hancock Co., GB (R); 1, 16 Apr., Greenville, EA (A)

WESTERN TANAGER -- 1 ad m, 4 Oct., Waveland S.L., MP, LSh (R)

ROSE-BREASTED GROSBEAK -- 1, 11 May, Noxubee NWR, Winston Co., TS (D); 1 ad m, 9-13 Jul., Diamondhead, MCr (R - at feeder); 1, 21 Sep., Golden Triangle Airport, TS (A)

BLACK-HEADED GROSBEAK -- 1 imm m, 24 Feb.-27 Apr., Vicksburg, HM, MD, TS, MH (R - photographed)

PAINTED BUNTING -- 1 m, 30 Apr. & 16 Jun., Golden Triangle Airport, MH, TS, MD (R); 1 m, 3 Jun., Osborn, TS (R); 1-2 m, 17 Jun.-3 Jul., Crawford, MH, TS, JJ, DI, ES (R); 1 f/imm, 14 Oct., Port Bienville, JT, MH (D)

DICKCISSEL -- 1, 28 Dec.'88, Kiln, BC (R); 1, 30 Apr., Golden Triangle Airport, MH, TS (A); 1, 24 Oct., Kiln, JT, CC, JP

RUFOUS-SIDED "Spotted" TOWHEE -- 1 m, 4 Feb., Grenada Lake, Yalobusha Co., GK, SK (R)

BACHMAN'S SPARROW -- 1-2, 11-22 May, Noxubee NWR, Winston Co., MH, TS, GW (R); 1-2, 29-30 May, Osborn, TS, MH (R)

CHIPPING SPARROW -- 1 ad, 15 Jul., Spence's Woods, JT (R); 50, 3 Nov., Hancock Co., JT, CC, MB, MH (N)

CLAY-COLORED SPARROW -- 1, 31 Jan., Kiln, JT (R); 1, 17 Sep., Lakeshore, TS (R,E)

LARK SPARROW -- 1, 4 Apr., Sardis Waterfowl Ref., GK, VT (R); 1, 23 Apr., 3, 30 Apr., 1-2, 14-17 Jun., Golden Triangle Airport, TS, MH, MD (R); 2, 23 Jun.-3 Jul., Crawford, TS, MC, MH, m.ob. (R - nest with 4 young 24 Jun.); 1, 10 Oct., Lucky's Corner, TS (A)

SAVANNAH SPARROW -- 1, 5 May, Eupora S.L., TS (D); 1, 21 May, Scott, NHe

GRASSHOPPER SPARROW -- 2, 6 Feb., 1, 1 Mar., Kiln, JT, GM, MB, JP, CC, SM; 2, 25 Mar., Kiln, TS; 5, 23 Apr., Golden Triangle Airport, TS (R,E); 1-4, 2-15 May, near Scott, NHe

LECONTE'S SPARROW -- 2, 17 Dec.'88, 10, 15 Jan., Noxubee NWR, Winston Co., MH, TS (R); 3, 6 Feb., Kiln, JT, GM, MB, JP, CC; 4, 11 Feb., Noxubee NWR, Noxubee Co., TS (R); 9-10, 1 Mar., Kiln, JT, GM, MB, SM; 5, 25 Mar., Kiln, TS; 2, 10 Dec.'89, Port Bienville, NB

THE MISSISSIPPI KITE

SHARP-TAILED SPARROW -- 2, 26 Sep., Gulfport harbor, SM (A); 4, 14 Oct., Kiln, JT, MH (R); 20, 17 Oct., Kiln, JT, m.ob. (R,N)

SEASIDE SPARROW -- 10, 4 Aug., Pascagoula, CD, LJ, GM, JT

LINCOLN'S SPARROW -- 1, 26 Jan., Eupora S.L., TS (R); 1, 17 Apr., Texas Flat Rd., PD, JT, CR (R); 1, 17-24 Apr., Oxford S.L., GK, SK; 1, 30 Apr., Noxubee NWR, Noxubee Co., TS, MH (R); 1, 6 May, Greenville, EA (R - banded)

SWAMP SPARROW -- 10, 30 Apr., Oktibbeha & Winston Cos., MH, TS (D)

WHITE-THROATED SPARROW -- 1, 4 May, Greenville, EA (D)

WHITE-CROWNED SPARROW -- 3, 1 Mar., Kiln, JT, GM, MB, SM (R); 15-20, 17 Apr.-8 May, Scott, NHe; 3, 23 Apr., Golden Triangle Airport, TS (D); 1, 6 May, Natchez, GK, SK, TS, MC, JBr (L); 1, 8 Oct., PRM, BR, ER, KC (R,E)

LAPLAND LONGSPUR -- 3, 12 Feb., near Yazoo NWR, TS (L); 1, 16 Nov., MSU North Farm, TS (R); 30, 25-26 Nov., 2 mi west of Strong, Monroe Co., TS, GK, SK (R); 18, 20 Dec.'89, Prairie Point, TS (R)

SMITH'S LONGSPUR -- 1, 25 Nov., 2 mi west of Strong, Monroe Co., TS (R)

Longspur sp. -- 2, 24 Nov., Catalpa Creek Bottoms, TS (R - probably Lapland)

BOBOLINK -- 4 m, 16 Apr., Greenwood Is., MH, TS (E); 100-200, 29-30 Apr., Mississippi River levee, Bolivar Co., NHe (N); 200+, 5 May, A & D Turf Farm, GK, SK (N); 15, 26 Sep., Kiln, MH, m.ob. (R)

WESTERN MEADOWLARK -- 6, 9 Dec.'89, Tallahatchie Co., GK, TS (R)

YELLOW-HEADED BLACKBIRD -- 1 ad m, 11 Sep., Clear Creek Rd., Lafayette Co., GK, SK, MD (R)

BREWER'S BLACKBIRD -- 20, 24 Nov., Arrowhead Ranch, TS (A)

BRONZED COWBIRD -- 1 m, 2 Apr. & 2 May, Bordage's Marina, Bayou Caddy, FB, JT, GM, CC, JP (R); 1 m, 29 Apr., Pleasure St. at Bayou Caddy, JT, CC (R); 1 m, 2 f, 13 May, Bayou Caddy, TS (R - full courtship display observed); 1 m, 1 f, 2 Jul., Bordage's Marina, Bayou Caddy, JT, m.ob. (R)

ORCHARD ORIOLE -- 2, 15 Apr., Oktibbeha Co. Lake, MH, LC, JR (A)

NORTHERN ORIOLE -- 1, 17-24 Dec.'89, Ocean Springs, CC, m.ob. (R)

HOUSE FINCH -- 3, 1 Mar., Greenville, EA; nest with young, 13 Jun., Starkville, MC, MH, TS (1st confirmed nesting in state)

PINE SISKIN -- 3, 6 Oct., Lafayette Co., GK (E); 1, 24 Nov., Gulfport, JT, MH (A)

CORRIGENDUM: (from Mississippi Kite 17:39, 1987)

YELLOW-BELLIED FLYCATCHER -- 1, 3 Oct., Noxubee NWR, Noxubee Co., TS (R) (Record withdrawn by observer)

Contributors

Ed Alexander, Chris Ashcomb, Mickey Baker, Fred Barry, Geneva Barry, John Battalio (JBa), Buddy Beaver (BBe), Ned Boyajian, Benton Brewer, Julia Broyles (JBr), Jennifer Buchanan, Judy Burkepile (JuB), Dan Carroll, Chita Cassibry, Bob Chapel, Mrs. Cristensen (MCr), Margaret Copeland, Karen Cowley, Lawrence Croft, Marvin Davis, Sandra Davis, Charles Delmas, Robin Densmore, Andrea Dinep (ADi), Alice Duckett, Linda Dunne, Pete Dunne, Dave Dutton, Charlie Eakin, Marion Fahnestock, Shawneen Finnegan, Betty Fowler (BeF), Bob Fowler (BoF), Nona Herbert (NHe), Thomas Heatley, Malcolm F. Hodges, Jr., James Holmes (JaH), Jim Holmes, Marion Hutto (MHu), Nellie Hughes, Danny Ingold, Jerome Jackson, Lucy Jacobson, Gene Knight, Shannon Knight, LeLe Kopfler, Amy Kuenzi, Vic Langhan, Paul Lehman, Lucretia Love, Mike McGraw, John McWharter (JMc), Maxine McWharter (MMC), Sharon Milligan, Frank Moore, Hal Moore, Gerry Morgan, Joe Mulrooney, Mimi Nagendran, Brent Ortego, Glenn Ousset, JoRee Pennell, Steve Peterson, Jeff Pimental (JPi), Martha Powell, Peter Range, Bob Reed, Elberta Reed, John Reinecke, Dave Richardson, Charlene Roemer, Walker Roman, David Ruple (DRu), Bob Sargent, Martha Sargent, Ernest Schiefer, Terence Schiefer, Lydia Schultz, Libby Shephard (LSh), Ted Simons (TSi), Harry Slack, Vic Theobald, Judith Toups, Mark Toups, William Turcotte, Gill Waldbauer, Lori Willimont, Jeff Wilson, T.D. Woods

Key to Localities

Localities not listed are indexed on the "Official Highway Map of Mississippi" or the county is listed in main text.

A & D Turf Farm = Lafayette Co.; Anderson Is. = Jackson Co.; Ansley = Hancock Co.; Arkabutla Lake = DeSoto & Tate Cos.; Arrowhead Ranch = Lowndes Co.; Bayou Caddy = Hancock Co.; Bayou Cassotte = Jackson Co.; Bellefontaine Beach = Jackson Co.; Big Point = Jackson Co.; Biloxi Bay = Harrison & Jackson Cos.; Blocker's Bottom = Oktibbeha Co.; Bluff Lake = Noxubee NWR, Noxubee & Oktibbeha Cos.; Catalpa Creek Bottoms = Lowndes Co.; Choctaw = Bolivar Co.; Choctaw Lake = Choctaw Co.; Columbus Lake = Lowndes & Clay Cos.; Diamondhead = Hancock Co.; East Ship Is. = Harrison Co.; Enid Lake = Yalobusha, Panola & Lafayette Cos.; Golden Triangle Airport = Lowndes Co.; Greenwood Is. = Jackson Co.; Grenada Dam = Grenada Co.; Grenada Lake = Grenada, Yalobusha, and Calhoun Cos.; Gulf Islands N.S. = Ocean Springs, Jackson Co.; High Point Reservoir = Winston Co.; Horn Is. = Jackson Co.; Jackson Marsh = Hancock Co.; Jeff Busby Park = Choctaw Co.; J.P. Coleman S.P. = Tishomingo Co.; Loakfoma Lake = Noxubee NWR, Noxubee Co.; Logtown = Hancock Co.; Lucky's Corner = Hancock Co.; Mississippi Sandhill Crane NWR = Jackson Co.; Mississippi Sound = offshore waters of Hancock, Harrison & Jackson Cos.; MSU North Farm = Starkville, Oktibbeha Co.; Noxubee NWR = Noxubee, Oktibbeha & Winston Cos.; Oktoc = Oktibbeha Co.; Osborn = Oktibbeha Co.; Pascagoula River = Jackson & George Cos.; Pascagoula River WMA = Jackson & George Cos.; Petit Bois Is. = Jackson Co.; Petite Acres = Hancock Co.; Port Bienville = Hancock Co.; PRM = Pascagoula River Marsh, Jackson Co.; Ross Barnett Reservoir = Madison & Rankin Cos.; Sardis Dam/ Clear Springs Nature Trail/ Lower Lake = Panola Co.; Sardis Lake = Panola & Lafayette Cos.; Sardis Waterfowl Ref. = Lafayette Co.; Seaman Rd. S.L. = Jackson Co.; Singing River Is. = Jackson Co.; Spence's Woods = Hancock Co.; Texas Flat Rd. = Hancock Co.; Vicksburg NMP = Warren Co.; West Ship Is. = Harrison Co.; Winterville = Washington Co.; Yazoo NWR = Washington Co.

Acknowledgments

I thank Marion Hutto for assisting in the preparation of this manuscript.

THE MISSISSIPPI KITE

Mississippi Ornithological Society
Organized 30 April 1955

Officers

President	W. Marvin Davis 308 Lewis Lane Oxford, MS 38655
Vice-President	Michael J. McGraw P.O. Box 6034 Jackson, MS 39213
Secretary	Terence L. Schiefer Dept. of Entomology Mississippi State University Mississippi State, MS 39762
Treasurer	Janet Dubuisson 22410 Glad Acres Pass Christian, MS 39571
Editor: The Mississippi Kite	Jerome A. Jackson Department of Biological Sciences Mississippi State University Mississippi State, MS 39762
Editor: MOS Newsletter	David Ruple 5725 Lee St. Ocean Springs, MS 39564

MOS Memberships

Honorary	No dues
Life	\$100
Sustaining	20 (or more)
Active	10
Family	15
Library Subscriptions	10
Junior (under 17) or Golden Age (over 65)	4
Junior/Golden Age Family	8

Membership and subscription dues should be sent to the Treasurer. The Mississippi Kite is currently published twice a year and is sent to all classes of membership.