Vol. 40 (2)

December 2010



Application for membership in the Mississippi Ornithological Society may be made to the Membership Committee Chair (Gene Knight, 79 Highway 9 West, Oxford, MS 38655), or online (www.missbird.org). The Mississippi Kite is sent to all members not in arrears for dues. Send change of address, requests for back issues, and claims for undelivered or defective copies to the Membership Committee Chair.

Information for Authors

The Mississippi Kite publishes original articles that advance the study of birdlife in the state of Mississippi. Submission of articles describing species occurrence and distribution, descriptions of behaviors, notes on the identification of Mississippi birds, as well as scientific studies from all fields of ornithology are encouraged. All manuscripts, in both a hard copy and digital copy format, should be submitted to the editor(s).

COPY – Paper manuscripts should be *typed*, *double-spaced* throughout, on high quality paper. Digital copy manuscripts should be prepared using 12 pt. Times New Roman font. If possible, please submit computer files in Microsoft Word although WordPerfect formats will be accepted. Handwritten manuscripts will also be accepted, but please contact the editor(s) prior to submission. Scientific names should be *italicized*.

STYLE – For questions of style consult previous issues of *The Mississippi Kite*. Manuscripts should include a title page (including names and addresses of all authors), text (beginning on page 2), literature cited (if applicable), tables, figure legends (on a separate page), and figures. Number all pages in the upper right-hand corner. Avoid footnotes.

LITERATURE CITED – List all references cited in the text alphabetically by the author's last name in the Literature Cited section. Citations should conform to the style of a recent issue of *The Mississippi Kite*.

NOMENCLATURE - Common names of bird species should be capitalized. Provide the scientific name (*italicized*) at the first mention of each species. Nomenclature should follow the American Ornithologists' Union Check-list of North American Birds, 7th edition (1998) and the 42nd (2000) through 51st (2010) supplements.

TABLES – Tables should be formatted with the size of *The Mississippi Kite* in mind and should be interpretable without reference to the text.

FIGURES – Figures should be appropriate for photoreproduction without retouching.

The Mississippi Kite is a biannual periodical published by the Mississippi Ornithological Society to record and further the study of Mississippi birdlife.

Vol. 40, No. 2

December 2010

CONTENTS

10-VOLUME INDEX TO *THE MISSISSIPPI KITE*: 2001-2010 by *Terence L. Schiefer and Marion H. Schiefer*.....22

MOS OFFICERS AND MEMBERSHIP INFORMATIONBack Cover

COVER IMAGE: Mississippi Kite (*Ictinia mississippiensis*) pen and ink drawing by David A. Cimprich.

10-VOLUME INDEX TO *THE MISSISSIPPI KITE*: 2001-2010

Terence L. Schiefer Department of Entomology Mississippi State University Mississippi State, Mississippi 39762-9775 & Marion H. Schiefer P. O. Box 1505 Starkville, MS 39760

This is a 10-year index to bird species and authors included in volumes 31-40 of *The Mississippi Kite* (2001-2010). Common names of species follow the AOU Check-list of North American Birds, 7th Edition, including the 42nd through 51st supplements to the Check-list, as published in *The Auk*, July 2000-July 2010. Where common names have changed during the period from 2001 through 2010, both names are included in the index and are cross-referenced. Species groups that are often referred to by a genus or common name (e.g., *Empidonax* sp., *Plegadis* sp., jaeger sp.) are also included in the index.

Anding, S., see Mengel, J., and _____

- Anhinga, 31:9, 43; 32:2, 4, 8; 33:7; 34:4; 35:8; 36:10, 21; 37:40; 38:26, 53; 39:15; 40:13
- Ani, Groove-billed, 31:24; 34:18; 35:22; 38:28, 60; 39:23
- Avocet, American, 31:18, 50; 32:13; 33:15; 34:12; 35:15; 36:26; 37:26, 44; 38:27, 57; 39:19
- Bittern, American, 31:9, 43; 32:8; 33:7; 34:4; 35:9; 36:21; 37:40; 38:26, 54; 39:15
- _____, Least, 31:9, 43; 32:8; 33:7; 34:4; 35:9; 36:21; 37:40; 38:26, 54; 39:15

Blackbird, Brewer's, 31:33, 63; 32:21; 33:29; 34:28, 33; 35:34; 38:32

_____, Red-winged, 32:35, 37; 38:32

- _____, Rusty, 31:33, 63; 33:29; 34:28, 33; 38:32, 66; 39:31
- _____, Yellow-headed, 31:33; 32:21; 33:28; 34:28, 33; 35:34; 38:33, 66; 39:31
- Bluebird, Eastern, 34:41; 38:30
- _____, Mountain, 38:22, 33; 39:8; 40:12
- Bobolink, 31:33, 63; 32:21; 33:28; 34:27, 33; 35:33; 36:39; 37:51; 38:32, 66; 39:31
- Bobwhite, Northern, 31:49; 38:25, 53; 39:14
- Booby, Masked, 35:8; 38:21, 33; 39:8; 40:11
- Bowen, B., J. Dubuisson, S. Epps, F. Henne, M. Hodges, P. Kochtitzky, and S. Smith, In Memory of Judy Toups, 37:25-29
- Boyajian, N., Beating a Dead Horse, 37:6-7
- Brant, 38:21, 33; 39:8; 40:11
- Bufflehead, 31:14, 46; 33:11; 35:6; 38:25; 39:13
- Bunting, Indigo, 31:33, 63; 32:21, 27, 37; 33:28; 35:33; 36:39; 38:32; 39:30
- _____, Lark, 38:22, 33; 39:8; 40:12
- _____, Lazuli, 35:33; 38:22, 33; 39:8; 40:8, 12
- _____, Painted, 31:33, 63; 32:21, 34, 37; 33:28; 34:27; 35:33; 36:39; 37:51; 38:32, 66; 39:31
- _____, Snow, 31:32; 38:20, 22, 33; 39:8; 40:12
- Burger, Jr., L.W., see Wood, D.R., F.J. Vilella, and _____

Canvasback, 31:13; 33:10; 34:8; 35:5; 36:19; 38:25

- Caracara, Crested, 36:24; 38:22, 33; 39:8; 40:11
- Cardinal, Northern, 32:37; 35:38; 38:32
- Catbird, Gray, 31:28, 58; 32:18, 31, 36-37; 33:23; 34:22; 35:27; 36:34; 37:48; 38:30; 39:27
- Chat, Yellow-breasted, 31:31, 61; 32:20, 26-27, 37-38; 33:26; 38:31, 64; 39:29
- Chickadee, Carolina, 32:35, 37; 34:41; 38:30
- Chuck-will's-widow, 31:24, 55; 32:16, 25-27, 35, 37; 33:20; 34:18; 36:31; 37:46; 38:29; 39:23
- Chukar, 38:18
- Collared-Dove, Eurasian, 31:23, 54; 32:15; 33:19; 34:17; 35:21; 36:31; 37:46; 38:28; 39:23
- Coot, American, 31:17, 49; 32:12; 35:13; 37:43; 38:27, 56
- Cormorant, Double-crested, 31:8, 43; 32:1-5, 8; 35:8; 36:10, 12, 21; 38:26; 40:13
- _____, Great, 38:21, 33; 39:8; 40:11
- _____, Neotropic, 34:4; 35:8; 36:12-15, 21; 37:40; 38:19, 21, 33, 53; 39:8, 15; 40:4, 11
- Cowbird, Bronzed, 31:34, 63; 34:28; 35:34; 36:39; 38:16, 21-22, 33, 66; 39:8, 31; 40:8, 11
- _____, Brown-headed, 32:35, 37; 38:32
- _____, Shiny, 31:33; 35:34; 38:21-22, 33; 39:8; 40:12
- Crane, Sandhill, 31:17, 49; 32:12; 33:14; 34:11; 35:13; 36:25; 37:43; 38:27, 56; 39:19
- Creeper, Brown, 31:27; 33:22; 34:21; 38:30; 39:26

Crossbill, Red, 31:64; 35:34; 38:16, 21-22, 33; 39:6, 8; 40:9, 11

- Crow, American, 38:29
- ____, Fish, 31:57; 38:29
- Cuckoo, Black-billed, 31:24; 32:34, 37; 33:19; 34:18; 37:46; 38:28; 39:23
- _____, Yellow-billed, 31:24, 54; 32:36, 38; 33:19; 34:18; 35:22; 36:31; 38:28, 60; 39:23
- Curlew, Long-billed, 31:51; 34:13; 35:16; 36:26; 37:44; 38:33, 57
- Davis, W.M., Winter Foraging of Eastern Phoebe at a North Mississippi Sewage Lagoon, 31:1-3
- Dickcissel, 31:33, 63; 33:28; 34:27; 35:33; 36:39; 37:51; 38:32, 66
- Dove, Common Ground-, see Ground-Dove, Common
- _____, Eurasian Collared-, see Collared-Dove, Eurasian
- _____, Inca, 32:15; 33:19; 34:18; 35:22; 38:6, 13, 22, 33, 59; 39:5, 8, 23; 40:6, 11
- _____, Mourning, 38:28
- _____, Rock, see Pigeon, Rock
- _____, Ruddy Ground-, see Ground-Dove, Ruddy
- _____, White-winged, 31:23, 54; 33:19; 34:18; 35:22; 36:31; 37:46; 38:25, 28; 39:23
- Dowitcher, Long-billed, 31:21, 52; 33:17; 34:15; 35:18; 36:28; 37:45; 38:28, 58; 39:21
- _____, Short-billed, 31:21, 52; 33:17; 34:15; 35:18; 36:28; 38:28

- Dubuisson, J., see Bowen, B., _____, S. Epps, F. Henne, M. Hodges, P. Kochtitzky, and S. Smith
- Duck, American Black, 31:12, 46; 32:10; 33:10; 34:8; 36:19; 38:25
- _____, Black-bellied Whistling-, see Whistling-Duck, Black-bellied
- _____, Fulvous Whistling-, see Whistling-Duck, Fulvous
- _____, Long-tailed, 31:14; 32:10; 33:11; 35:6; 36:19; 37:39; 38:25, 52; 39:13
- _____, Mottled, 33:10; 34:8; 38:25; 39:12
- _____, Ring-necked, 31:13; 32:10; 33:10; 34:8; 35:5; 36:19; 37:39; 38:25; 39:13
- _____, Ruddy, 31:14; 33:11; 34:9; 35:6; 38:25
- _____, Wood, 31:12, 46; 32:10; 33:10; 34:41; 36:18; 38:25
- Dunlin, 31:20, 52; 33:16; 34:15; 35:12, 17; 36:27; 38:27, 58; 39:20
- Eagle, Bald, 31:15, 47; 32:11; 33:12; 34:10; 35:11; 36:23; 37:42; 38:26, 55; 39:17
- _____, Golden, 31:15, 48; 32:11; 33:12; 35:12; 36:24; 37:42; 38:26, 55; 39:18
- Egret, Cattle, 31:10, 44; 32:8; 33:8; 34:5; 35:9; 36:5, 10, 22; 37:41; 38:26; 40:13
- _____, Great, 31:9, 43; 32:2, 4; 34:5; 36:5, 10; 38:26, 54; 39:16; 40:13
- _____, Reddish, 31:10, 44; 32:8; 33:1, 8; 35:9; 36:22; 38:26, 54; 39:16
- _____, Snowy, 31:10, 43-44; 33:8; 34:5; 35:9; 36:10, 22; 38:26, 54; 39:16; 40:13, 16

Eider, King, 38:21, 33; 39:8; 40:11

Empidonax sp., 32:17

- Epps, S., see Bowen, B., J. Dubuisson, _____, F. Henne, M. Hodges, P. Kochtitzky, and S. Smith
- Falcon, Peregrine, 31:16, 48; 32:12; 33:13; 34:11; 35:13; 36:24; 37:42; 38:27, 56; 39:18
- _____, Prairie, 31:16, 49; 34:11; 38:11, 20, 22, 33; 39:4, 8; 40:5, 11
- Finch, House, 31:34; 32:22; 38:33

_____, Purple, 31:64; 32:22; 33:29; 34:28; 35:34; 36:40; 38:33, 66; 39:31

- Flamingo, American, 39:14
- ____, Greater, see Flamingo, American
- Flicker, Northern, 32:34, 37; 34:41; 38:29
- Flycatcher, Acadian, 31:25, 56; 32:17, 34, 37; 33:21; 34:20; 35:24; 36:32; 38:29
- _____, Alder, 35:24; 38:20, 22, 33; 39:8; 40:11
- _____, Ash-throated, 31:26; 38:6, 15, 22, 33; 39:8; 40:11
- _____, Great-crested, 31:26, 56; 32:36-37; 33:21; 34:20, 41; 38:29
- _____, Least, 31:26, 56; 32:17, 37; 33:21; 34:20; 35:24; 36:32; 37:47; 38:29, 61; 39:25
- _____, Olive-sided, 31:25; 33:21; 34:20; 35:24; 36:32; 38:29; 39:25
- _____, Scissor-tailed, 31:26, 56; 33:21; 34:21; 35:25; 36:33; 37:47; 38:33, 61; 39:25
- _____, Sulphur-bellied, 38:22, 33; 39:8; 40:11

- _____, Vermilion, 31:26, 56; 32:17; 33:21; 34:20; 35:25; 36:32; 37:47; 38:29, 61; 39:25
- _____, Willow, 31:26; 38:20, 22, 33, 60; 39:5, 6, 8, 25; 40:7, 9, 11
- ____, Willow/Alder, complex, 38:6
- _____, Yellow-bellied, 31:25, 55; 33:21; 34:20; 35:24; 36:32; 37:47; 38:29, 60
- Frigatebird, Magnificent, 31:9; 33:7; 34:4; 35:9; 36:21; 38:33
- Gadwall, 31:46; 32:10; 34:8; 35:4; 36:19; 37:38; 38:25
- Gallinule, Purple, 31:17, 49; 32:12; 33:13; 34:11; 35:13; 36:24; 37:26, 43; 38:27, 56; 39:18
- Gannet, Northern, 31:8; 33:7; 34:4; 35:8; 36:20; 38:26
- Gnatcatcher, Blue-gray, 31:28, 57; 32:18, 34, 37; 33:23; 34:22; 36:34; 37:48; 38:30; 39:27
- Godwit, Hudsonian, 35:16; 38:11, 22, 33; 39:8; 40:5, 11
- _____, Marbled, 31:19, 51; 32:13; 33:15; 34:14; 35:16; 36:26; 38:27; 39:20
- Goldeneye, Common, 31:14, 46; 32:10; 34:9; 35:6; 36:19; 38:25; 39:13
- Golden-Plover, American, 31:18, 49; 33:14; 34:12; 35:14; 36:25; 37:43; 38:27, 56; 39:19

_____, Pacific, 38:17

- Goldfinch, American, 31:34, 64; 32:22; 33:29; 35:38; 37:51; 38:33
- _____, Lesser, 33:29; 35:35; 36:40; 38:6, 17, 22, 33; 39:8; 40:9, 12
- Goose, Cackling, 35:4; 36:18; 37:38; 38:33, 52; 39:12 (see also Canada Goose)

- _____, Canada, 31:12, 45; 32:10; 33:10; 34:7; 36:18; 37:38; 38:25, 52; 39:12
- _____, Greater White-fronted, 31:11, 45; 32:9; 33:9; 34:7; 35:4; 36:18; 37:38; 38:25; 39:12
- _____, Ross's, 31:12, 45; 32:9; 33:10; 34:7; 35:4; 36:18; 37:38; 38:33, 52; 39:12
- _____, Snow, 31:12, 45; 32:9; 33:9; 34:7; 35:4; 36:18; 37:38; 38:25; 39:12
- Goshawk, Northern, 38:10, 20, 22, 26; 39:4, 8; 40:11
- Grackle, Boat-tailed, 38:32
- _____, Common, 38:32
- _____, Great-tailed, 35:34; 38:6, 16, 22, 33; 39:8; 40:8, 12
- Grebe, Eared, 31:8, 43; 32:7; 33:7; 34:4; 35:7; 36:20; 37:40; 38:26, 53; 39:14
- _____, Horned, 31:8, 43; 34:4; 35:7; 38:26, 53; 39:14
- _____, Pied-billed, 31:8, 42; 32:7; 34:4; 35:7; 36:20; 38:26; 39:14
- _____, Red-necked, 33:6; 35:7; 36:20; 38:9, 21, 33, 53; 39:3, 8, 14; 40:11
- _____, Western, 32:8; 35:8; 37:40; 38:9, 20-21, 33, 53; 39:3, 8, 14; 40:4, 11
- Grosbeak, Black-headed, 34:27; 38:16, 21-22, 32; 39:8; 40:8, 12
- _____, Blue, 31:32; 32:35, 37; 33:28; 34:27; 36:39; 38:32
- _____, Evening, 38:33
- _____, Rose-breasted, 31:32, 63; 32:21, 35, 37; 33:28; 34:27; 35:33; 36:39; 38:32, 66; 39:30

- Ground-Dove, Common, 31:23, 54; 33:19; 34:18; 35:22; 36:31; 37:46; 38:28, 59
- _____, Ruddy, 35:22; 38:22, 33; 39:5, 8; 40:11
- Gull, Black-headed, 33:18; 38:12, 19, 22, 33; 39:8; 40:11
- _____, Bonaparte's, 31:22, 53; 33:18, 39; 34:16; 35:19; 38:28, 58; 39:21
- _____, California, 36:29; 38:6, 12, 20, 22, 33; 39:4, 6, 8; 40:11
- _____, Franklin's, 31:22, 53; 32:14; 33:18; 34:16; 35:19; 36:29; 37:45; 38:28, 58; 39:21
- _____, Glaucous, 38:12, 20, 22, 28; 39:8; 40:6, 11
- _____, Great Black-backed, 31:53; 33:18; 38:12, 22, 33; 39:8; 40:11
- _____, Herring, 31:22, 53; 32:15; 33:18; 35:20; 36:29; 38:28
- _____, Laughing, 31:22, 52; 32:14; 33:17-18; 34:16; 35:18; 36:29; 37:45; 38:28, 58; 39:21
- _____, Lesser Black-backed, 31:22, 53; 32:15; 35:20; 36:29; 38:12, 20, 22, 33, 59; 39:5, 8, 21; 40:11
- _____, Little, 33:40-41; 34:16; 35:19; 38:12, 20, 22, 28; 39:4, 8; 40:5, 11
- _____, Ring-billed, 31:22; 32:14; 33:18, 34; 34:16; 35:20; 36:29; 38:28, 59; 39:21
- ____, Ross's, 33:40-41
- _____, Sabine's, 32:15; 33:38-46; 37:45; 38:13, 20, 22, 33; 39:8, 21; 40:6, 11
- _____, Slaty-backed, 38:22; 39:8; 40:11
- _____, Thayer's, 35:20; 36:29; 38:20, 22, 33, 59; 39:4-5, 6, 8; 40:5, 11
- Harrier, Northern, 31:2, 15, 47-48; 32:11; 33:12; 35:12; 38:26, 55

- Hawk, Broad-winged, 31:15, 48; 32:35, 37; 33:12; 34:10; 35:12; 36:23; 38:26
- _____, Cooper's, 31:48; 32:36-37; 33:12; 34:10, 41; 35:12; 38:26
- _____, Ferruginous, 35:12, 45; 36:23; 37:42; 38:22, 33, 55; 39:4, 6, 8; 40:4, 11
- _____, Harris's, 38:22, 33; 39:8; 40:11
- _____, Red-shouldered, 34:41; 38:26
- _____, Red-tailed, 31:48; 33:12; 34:40-41; 38:26
- _____, Rough-legged, 31:15; 32:11; 36:23; 38:11, 17, 20, 22, 33, 55; 39:8, 18; 40:5, 11
- _____, Sharp-shinned, 31:48; 32:11, 35, 38; 33:12; 34:10; 36:23; 38:26
- _____, Swainson's, 31:15, 48; 33:12; 38:10, 19-20, 22, 26, 55; 39:4, 8, 18; 40:11
- Henne, F., Harris's Sparrow (Zonotrichia querula) Records in Attala County, Mississippi, 35:38-39
- _____, see Bowen, B., J. Dubuisson, S. Epps, _____, M. Hodges, P. Kochtitzky, and S. Smith
- Heron, Black-crowned Night-, see Night-Heron, Black-crowned
- _____, Great Blue, 31:9, 15; 32:4; 36:10, 21; 38:26; 39:16; 40:13
- _____, Green, 31:44; 32:9; 34:5; 35:9; 36:22; 38:26, 54; 40:13
- _____, Little Blue, 31:44; 32:8; 33:8; 36:10; 37:40; 38:26; 40:13, 16, 20
- _____, Tricolored, 31:10, 44; 32:8; 33:8; 34:5; 35:9; 36:10, 22; 37:40; 38:26, 54; 39:16; 40:13
- _____, Yellow-crowned Night-, see Night-Heron, Yellow-crowned

- Hodges, M., see Bowen, B., J. Dubuisson, S. Epps, F. Henne, _____, P. Kochtitzky, and S. Smith
- Hummingbird, Allen's, 32:16; 33:20; 35:24; 36:32; 38:6, 14-15, 20, 22, 33; 39:8; 40:7, 11
- _____, Anna's, 35:23; 36:31-32; 37:46; 38:6, 14, 22, 33, 60; 39:8; 40:6-7, 11
- _____, Black-chinned, 31:55; 32:16; 33:20; 34:19; 35:23; 38:33, 60; 39:24
- _____, Broad-billed, 38:20, 22, 33; 39:8; 40:6, 11
- _____, Broad-tailed, 31:25, 55; 32:16; 33:20; 35:23; 38:6, 14, 20, 22, 33; 39:8; 40:11
- _____, Buff-bellied, 31:25; 32:16; 33:20; 34:19; 35:23; 38:33; 39:23
- _____, Calliope, 31:25; 32:16; 33:20; 34:19; 35:23; 38:6, 14, 18, 20, 22, 33; 39:8; 40:7, 11
- _____, Ruby-throated, 31:25, 55; 32:16, 30-31, 35, 38; 33:20; 34:19; 35:23; 36:31; 37:46; 38:29; 39:23-24
- _____, Rufous, 31:25, 55; 32:16; 33:20; 34:19-20; 35:23; 36:32; 37:46; 38:29, 60; 39:24
- ____, Rufous/Allen's, 39:24
- _____, White-eared, 38:6, 14, 22, 33; 39:8; 40:11
- Ibis, sp., 37:41 (see also *Plegadis* sp.)
- _____, Glossy, 31:10, 44; 32:9; 33:8; 34:6; 35:10; 36:22; 37:41; 38:9, 17, 18, 20-21, 26; 39:4, 7, 8, 16; 40:11, 13
- _____, White, 31:10, 44; 32:3, 9; 33:8; 34:6; 35:10; 36:10, 22; 38:26, 54; 39:16

- _____, White-faced, 31:10, 44; 33:8; 34:6; 35:10; 36:22; 37:41; 38:9-10, 19-21, 26; 39:4, 8, 16; 40:4, 11, 13-17, 20
- Jabiru, 38:54; 39:6; 40:9
- Jackson, J.A., Judy Toups: For the Birds, 37:8-13
- Jaeger, sp., 32:14; 34:16; 35:18
- _____, Long-tailed, 31:52; 33:34-37; 38:20, 22, 33; 39:5, 8; 40:11
- _____, Parasitic, 33:35; 38:22, 28; 39:8; 40:11
- _____, Pomarine, 31:22; 33:34; 38:13, 22, 33; 39:8; 40:11
- Jay, Blue, 32:35, 37; 36:33; 38:29
- Jennier, J., Summer Whip-poor-wills (*Caprimulgus vociferus*) in Simpson County, Mississippi, 32:25-28
- Junco, Dark-eyed, 31:32, 63; 33:28; 34:27, 32; 35:33, 38; 38:32; 39:30
- Kestrel, American, 31:16, 48; 34:41; 35:12; 36:24; 38:27
- Killdeer, 31:18, 37-38, 50; 32:12; 33:14; 34:12; 35:14; 38:27; 39:19
- Kingbird, Cassin's, 38:6, 15, 20, 22, 29; 39:8; 40:7, 11
- _____, Eastern, 31:26, 56; 32:17, 36-37; 33:21; 34:20; 35:25; 36:32; 38:29; 39:25
- _____, Gray, 31:26, 56; 38:15, 20, 22, 29; 39:8; 40:11
- _____, Western, 31:56; 33:21; 34:20; 35:25; 36:32; 37:47; 38:29; 39:25

Kingfisher, Belted, 38:29

- Kinglet, Golden-crowned, 31:28; 32:36-37; 36:34; 38:30
- _____, Ruby-crowned, 31:28, 57; 32:35, 37-38; 33:23; 34:22; 38:30; 39:26

- Kite, Mississippi, 31:15, 47; 32:11; 33:12; 34:10; 35:11; 36:23; 37:41; 38:26, 55; 39:17
- _____, Swallow-tailed, 31:14, 47; 32:11, 36, 38; 33:12; 34:9-10; 35:11; 36:23; 37:25, 41; 38:26, 55; 39:17
- _____, White-tailed, 38:21, 33; 39:8; 40:10-11
- Kittiwake, Black-legged, 32:15; 33:40-41; 38:13, 20, 22, 28; 39:5, 8; 40:9, 11
- ____, Red-legged, 33:40-41
- Knight, G.C., Birds around the State: January-December 2000, 31:41-66
- _____, Birds around the State: January-December 2001, 32:6-24
- _____, Birds around the State: January-December 2002, 33:5-31
- _____, Birds around the State: January-December 2003, 34:2-30
- _____, Birds around the State: January-December 2004, 35:2-36
- _____, Birds around the State: January-December 2005, 36:16-42
- _____, Birds around the State: January-December 2006, 37:36-53
- ____, Judy Toups' Friends, 37:14-16
- _____, Birds around the State: January-December 2007, 38:50-68
- _____, 2008 Mississippi Bird Records Committee Report, 39:2-8
- _____, Mississippi Bird Records Committee Annual Report-2009, 40:2-12
- _____, and S. Knight, First Mississippi Record of Long-tailed Jaeger, 33:34-37
- _____, and S. Knight, First Record of Neotropic Cormorant in the Mississippi Delta, 36:12-15

_____, see Schiefer, T.L., _____, M.S. Woodrey, and N. Winstead

Knight, S., see Knight, G.C. and ____, 33:34-37

_____, see Knight, G.C. and _____, 36:12-15

Knot, Red, 31:20; 33:1-2; 34:14; 35:16; 36:27; 38:27, 57

Kochtitzky, P., see Bowen, B., J. Dubuisson, S. Epps, F. Henne, M. Hodges, _____, and S. Smith

Lark, Horned, 31:57; 35:26; 38:29

Limpkin, 38:22, 33; 39:8; 40:11

Linden, D.R., First State Nesting Record for White-faced Ibis (*Plegadis chihi*) and Nesting Range Extension for Tree Swallow (*Tachycineta bicolor*) into Washington County, Mississippi, 40:13-20

Litton, J.L., see Stevens, M.P., and ____, 32:1-5

_____, see Stevens, M.P., and _____, 36:2-7

Longspur, Chestnut-collared, 38:22; 39:8; 40:12

_____, Lapland, 31:32, 63; 32:21; 33:28; 34:32; 35:33; 38:32, 65

_____, McCown's, 38:22; 39:8; 40:12

_____, Smith's, 38:22, 33; 39:8; 40:12

- Loon, Common, 31:8, 42; 32:7; 33:6; 34:3; 35:7; 36:20; 37:40; 38:26; 39:14
- _____, Pacific, 31:7; 33:6; 34:3; 35:7; 36:20; 37:39; 38:9, 20-21, 33, 53; 39:3, 6, 8, 14; 40:3-4, 9, 11

_____, Red-throated, 31:7, 42; 34:3; 35:7; 36:20; 37:39; 38:26, 53

_____, Yellow-billed, 38:17

- Machado, T., Judy Toups, a Tribute, 37:17-19
- Mallard, 33:10; 37:38; 38:25
- Martin, Purple, 31:27, 57; 32:17, 35, 37; 33:22; 34:21; 36:33; 37:47; 38:30, 61; 39:26
- McKee, D., see Stevens, M.P., and _____
- McWhorter, V., Eastern Phoebe: First Documented Nesting at the Okatibbee Wildlife Management Area, Lauderdale County, Mississippi, 31:39-40
- Meadowlark, Eastern, 31:63; 38:32
- _____, Western, 31:33, 63; 32:21; 33:28; 34:27, 33; 35:34; 36:39; 38:6, 19, 21-22, 32; 39:8; 40:11
- Mengel, J., and S. Anding, Breeding of the American Oystercatcher, Haematopus palliatus, confirmed in Mississippi, 33:1-4
- Merganser, Common, 31:14, 47; 32:11; 34:9; 35:6; 36:20; 37:39; 38:8-9, 19, 21, 33, 53; 39:3, 8, 13; 40:11
- _____, Hooded, 31:14, 47; 32:10; 33:11; 34:9; 35:6; 36:20; 37:39; 38:25, 52
- _____, Red-breasted, 31:14, 47; 36:20; 38:25
- Merlin, 31:16, 48; 32:11-12; 33:12-13; 34:10; 35:12; 36:24; 37:42; 38:27, 56; 39:18
- Mockingbird, Northern, 32:34, 37; 38:30
- Moorhen, Common, 31:17, 49; 32:12; 33:13; 34:11; 35:13; 36:24; 37:43; 38:27, 56; 39:19
- Nighthawk, Common, 31:24, 55; 32:25, 35, 37; 33:20; 34:18; 37:46; 38:28

_____, Lesser, 35:22; 38:22, 33; 39:5, 8; 40:11

- Night-Heron, Black-crowned, 31:10, 44; 32:9; 34:5; 36:2-7, 10; 38:26, 54; 40:13
- _____, Yellow-crowned, 31:44; 32:9; 35:10; 36:22; 38:26; 39:16
- Noddy, Brown, 38:22, 28; 39:8, 22; 40:11
- Nuthatch, Brown-headed, 31:27; 38:30
- _____, Red-breasted, 31:27, 57; 32:17; 33:22; 35:26; 36:34; 38:30, 62
- ____, White-breasted, 38:30
- Oriole, Baltimore, 31:34, 64; 32:22, 34, 37; 33:29; 34:28; 35:34; 36:40; 38:32; 39:31
- _____, Bullock's, 33:29; 34:28; 38:22, 33; 39:8; 40:12
- _____, Orchard, 31:34, 64; 32:22, 34, 37; 33:29; 34:28; 36:39; 38:32, 66; 39:31
- Osprey, 31:14, 47; 32:11, 34, 37; 33:1, 11; 34:9; 35:11; 37:41; 38:26, 55; 39:17
- Ovenbird, 31:30, 60; 32:31, 34, 37; 35:29; 36:37; 37:49; 38:31, 64; 39:28
- Owl, Barn, 31:24, 54; 32:15; 33:20; 34:18; 36:31; 37:46; 38:28; 39:23
- _____, Barred, 34:40-41; 38:28
- _____, Burrowing, 31:54; 34:18; 35:22; 38:13, 22, 28; 39:8; 40:6, 11
- _____, Eastern Screech-, see Screech-Owl, Eastern
- _____, Great Horned, 31:54; 38:28
- _____, Long-eared, 38:22, 33; 39:8; 40:11
- _____, Northern Saw-whet, 31:55; 38:19, 22, 28; 39:8; 40:11

- _____, Short-eared, 31:24, 54-55; 32:16; 33:20; 34:18; 35:22; 36:31; 38:28, 60; 39:23
- _____, Snowy, 38:22, 33; 39:8; 40:11
- Oystercatcher, American, 33:1-4, 14; 34:12; 35:14; 36:25; 37:43; 38:33
- Parrot, Red-crowned, 38:18
- Parula, Northern, 31:29, 59; 32:34, 37; 33:24; 34:23; 35:27; 36:35; 38:31
- _____, Tropical, 38:22; 39:8; 40:12
- Pease, J., Judy Toups, a Leader Extraordinaire, 37:20-21
- Pelican, American White, 31:8, 43; 32:8; 33:7; 34:4; 35:8; 36:20-21; 37:40; 38:26; 39:15
- _____, Brown, 32:8; 33:7; 35:8; 36:21; 37:40; 38:33; 39:15
- Peterson, S.J., Birds around the State: January-December 1999, 31:6-36
- Petrel, Storm-, sp., see Storm-Petrel sp.
- _____, Wilson's Storm-, see Storm-Petrel, Wilson's
- Pewee, Eastern Wood-, see Wood-Pewee, Eastern
- _____, Western Wood-, see Wood-Pewee, Western
- Phalarope, sp., 33:17
- _____, Red, 32:14; 33:17; 38:12, 18, 22, 33; 39:8; 40:9, 11
- _____, Red-necked, 31:22; 33:17; 34:16; 35:18; 36:29; 38:12, 20, 22, 33; 39:8; 40:5, 11
- _____, Wilson's, 31:22, 52; 32:14; 33:17; 34:15-16; 35:18; 36:28; 37:45; 38:33, 58; 39:21

Phoebe, Eastern, 31:1-3, 26, 39-40, 56; 32:36-37; 33:21; 38:29

- _____, Say's, 38:22, 29; 39:8; 40:11
- Pigeon, Band-tailed, 38:22, 33; 39:8; 40:11
- _____, Rock, 38:28
- _____, White-crowned, 37:46; 38:22, 33; 39:5, 8; 40:11
- Pintail, Northern, 31:12; 34:8; 35:5; 36:19; 38:25
- Pipit, American, 31:28; 32:18; 33:23; 34:22; 35:27; 38:30
- _____, Sprague's, 31:58; 37:48; 38:15, 20, 22, 30; 39:8; 40:8, 12
- Plegadis sp., 31:44; 33:8; 34:6; 35:10; 36:22; 37:41
- Plover, American Golden-, see Golden-Plover, American
- _____, Black-bellied, 31:17, 49-50; 33:2, 14; 34:12; 35:14; 36:25; 37:43; 38:27, 56; 39:19
- _____, Mountain, 38:11, 22, 33; 39:8; 40:11
- _____, Pacific Golden-, see Golden-Plover, Pacific
- _____, Piping, 31:18, 50; 33:14; 34:12; 35:14; 36:25; 38:27
- _____, Semipalmated, 31:18, 50; 32:12; 33:14; 34:12; 35:14; 36:25; 38:27, 57
- _____, Snowy, 31:18, 50; 32:12; 33:14; 34:12; 35:14; 36:25; 38:27
- _____, Wilson's, 31:18; 34:12; 35:14; 36:25; 37:43; 38:27
- Quail, California, 38:18
- Rail, Black, 38:22, 27; 39:8; 40:11

_____, Clapper, 38:27

- _____, King, 31:16; 32:12; 33:13; 34:11; 35:13; 36:24; 37:42; 38:27; 39:18
- _____, Virginia, 31:16-17, 49; 32:12; 33:13; 36:24; 37:42; 38:27, 56; 39:18
- _____, Yellow, 31:49; 33:13; 35:13; 38:11, 20, 22, 27; 39:8; 40:5, 11
- Redhead, 31:13; 32:10; 33:10; 34:8; 35:5; 36:19; 37:39; 38:25, 52; 39:13
- Redstart, American, 31:30, 60; 32:19, 34, 37; 33:25; 35:29; 38:31
- _____, Painted, 38:22, 33; 39:8; 40:12
- Robin, American, 31:58; 32:34, 37; 38:30; 39:27
- Ruff, 31:21; 37:44; 38:6-7, 11, 20, 22, 33; 39:8; 40:5, 11
- Sanderling, 31:51; 32:13; 33:16; 34:14; 35:16; 36:27; 37:44; 38:27; 39:20
- Sandpiper, Baird's, 31:20, 51; 32:13-14; 33:16; 34:14; 35:17; 36:27; 37:44; 38:27; 39:20
- _____, Buff-breasted, 31:21, 52; 32:14; 33:16-17; 34:15; 35:17; 36:28; 37:44; 38:28, 58; 39:21
- _____, Least, 31:20; 32:13; 33:16; 34:14; 35:17; 36:27; 37:44; 38:27; 39:20
- _____, Pectoral, 31:20, 52; 32:14; 33:16; 34:14; 35:17; 36:27; 38:27
- _____, Purple, 38:22, 33; 39:8; 40:11
- _____, Semipalmated, 31:20, 51; 33:16; 34:14; 35:16; 36:27; 38:27
- _____, Solitary, 31:19, 51; 32:13; 33:15; 34:13; 35:15; 36:26; 38:27, 57; 39:20
- _____, Spotted, 31:19, 51; 32:13; 33:15; 34:13; 35:15; 37:44; 38:27, 57; 39:20

, Stilt, 31:21, 52; 32:14; 33:16; 34:15; 35:17; 36:28; 38:27, 58
, Upland, 31:19, 51; 32:13; 33:15; 34:13; 35:15; 36:26; 37:44; 38:27, 57; 39:20
, Western, 32:13; 33:16; 34:14; 35:17; 36:27; 38:27; 39:20
, White-rumped, 31:20, 51; 32:13; 33:16; 34:14; 35:17; 36:27; 38:27, 58; 39:20
Sapsucker, Yellow-bellied, 31:25, 55; 32:36, 38; 33:20-21; 37:47; 38:29; 39:25
Scaup, Greater, 31:13, 46; 32:10; 33:11; 34:9; 35:5; 36:19; 37:39; 38:25
, Lesser, 31:13; 32:10; 33:11; 34:9; 35:5; 38:25, 52
Schiefer, M., Introduction, 37:3-5
, M.H., see Schiefer, T.L., and
Schiefer, T.L., First Record of Sabine's Gull in Oktibbeha County, Mississippi, with a Review of Mississippi Records, 33:38-46
, Addendum to "Birds around the State: January-December, 1997," 34:32-33
, Review of Harris's Sparrow (<i>Zonotrichia querula</i>) Records in Mississippi, 35:40-51
, Articles by Judy Toups Published in <i>The Mississippi Kite</i> , 37:30-33
, Welcome to Mississippi: a Letter from Judy Toups, 37:22-24
, Appendix B. Bylaws of the Mississippi Ornithological Society's Mississippi Bird Records Committee as of December 2004, <u>in</u> T.L. Schiefer, First Report of the Mississippi Bird Records Committee, 38:34-48

_____, First Report of the Mississippi Bird Records Committee, 38:2-48

- _____, Birds around the State: January-December 2008, 39:10-33
- _____, G.C. Knight, M.S. Woodrey, and N. Winstead, Appendix A. List of voucher specimens for the Checklist of Birds of Mississippi, <u>in</u> T.L. Schiefer, First Report of the Mississippi Bird Records Committee, 38:24-33
- _____, and M.H. Schiefer, 10-Volume Index to the Mississippi Kite: 2001-2010, 40:22-53
- Scoter, Black, 31:13, 46; 32:10; 33:11; 34:9; 35:6; 36:19; 38:33, 52; 39:13
- _____, Surf, 31:13, 46; 33:11; 34:9; 35:6; 37:39; 38:25, 52; 39:13
- _____, White-winged, 31:13; 33:11; 35:6; 36:19; 38:33; 39:13
- Screech-Owl, Eastern, 34:41; 38:28
- Selasphorus sp., 31:55; 32:16; 34:20; 35:23; 36:32; 37:47
- Shearwater, Audubon's, 38:21, 33; 39:8; 40:11
- _____, Great, 38:21; 39:8; 40:11
- _____, Greater, see Shearwater, Great
- _____, Sooty, 38:21, 33; 39:8; 40:11
- Shoveler, Northern, 31:46; 33:10; 34:8; 35:5; 36:19; 38:25 (see also Shoveler, Northern X American Wigeon)
- _____, Northern X American Wigeon, 31:12
- Shrike, Loggerhead, 38:29, 61; 39:25
- Siskin, Pine, 31:34, 64; 32:22; 33:29; 35:34; 36:40; 38:33, 66; 39:31
- Skimmer, Black, 32:15; 33:1; 35:21; 36:31; 37:10-11; 38:28

- Smith, S., see Bowen, B., J. Dubuisson, S. Epps, F. Henne, M. Hodges, P. Kochtitzky, and _____
- Snipe, Common, see Snipe, Wilson's
- _____, Wilson's, 31:21; 33:17; 34:15; 35:18; 36:28; 38:28
- Solitaire, Townsend's, 38:22, 33; 39:8; 40:12
- Sora, 31:17, 49; 32:12; 33:13; 34:11; 35:13; 36:24; 37:42; 38:27, 56; 39:18
- Sparrow, American Tree, 31:61; 33:26; 38:15-16, 18, 22, 32; 39:8; 40:12
- _____, Bachman's, 31:31, 61; 32:20; 33:26; 34:25; 35:31; 36:38; 37:50; 38:32, 64; 39:29
- _____, Chipping, 31:31, 61; 37:50; 38:32; 39:29
- _____, Clay-colored, 31:31, 61; 32:20; 35:31; 37:50; 38:33, 64; 39:29; 40:8
- ____, European Tree, 38:18
- _____, Field, 31:31; 33:26; 34:25; 35:31, 38; 38:32
- _____, Fox, 31:32, 62; 32:21; 34:26; 37:50; 38:32, 65
- _____, Grasshopper, 31:31, 62; 32:20; 33:27; 34:26; 35:31-32; 36:38; 37:50; 38:32, 65; 39:29-30
- _____, Harris's, 31:62-63; 33:27; 34:32; 35:32, 38-51; 36:39; 38:16, 20, 22, 32, 65; 39:6, 8; 40:12
- _____, Henslow's, 31:31, 62; 32:20; 33:27; 34:26; 35:32; 38:32; 39:30
- ____, House, 38:33
- _____, Lark, 31:31, 61; 32:20; 33:26-27; 34:25-26; 35:31; 36:38; 37:50; 38:32, 64-65; 39:29

- _____, Le Conte's, 31:32, 62; 32:20-21; 33:27; 34:26; 35:32; 36:38; 37:50; 38:32, 65; 39:30
- _____, Lincoln's, 31:32, 62; 32:21; 33:27; 34:26; 35:32; 36:38; 37:50; 38:32, 65; 39:30
- _____, Nelson's, 32:21; 33:27; 34:26; 35:32; 38:32; 39:30
- _____, Nelson's Sharp-tailed, see Sparrow, Nelson's
- _____, Savannah, 31:31, 61; 32:20, 35, 38; 34:26; 35:31; 37:50; 38:32, 65
- _____, Seaside, 34:26; 35:32; 38:32
- _____, Song, 36:38; 38:32
- _____, Swamp, 32:36, 38; 33:27; 34:26; 36:38; 38:32
- _____, Vesper, 31:31, 61; 32:20; 33:26; 35:31; 38:32
- _____, White-crowned, 31:32, 63; 32:21; 33:27-28; 34:27; 35:33; 36:39; 38:32, 65; 39:30
- _____, White-throated, 31:32, 62; 32:21, 36, 38; 33:27; 34:27; 35:32; 36:38; 37:51; 38:32; 39:30
- Spoonbill, Roseate, 31:10-11, 44-45; 32:9; 33:8-9; 34:6; 35:10; 36:8-10, 22-23; 37:41; 38:10, 18, 20-21, 33, 54; 39:4, 8, 16; 40:4, 11

Starling, European, 38:30

Stevens, M.P., and J.L. Litton, Additional Nesting Records of the Double-crested Cormorant in the Delta Region of Mississippi, 32:1-5

_____, and _____, Nesting and Nest Site Characteristics of Blackcrowned Night-Herons (*Nycticorax nycticorax*) at Swan Lake, Yazoo National Wildlife Refuge, Hollandale, Mississippi, 36:2-7 _____, and D. McKee, First Breeding Record of Roseate Spoonbill (*Platalea ajaja*) in Mississippi, 36:8-10

- Stilt, Black-necked, 31:18, 50; 32:13; 33:14; 34:12; 35:15; 36:25-26; 37:26, 43; 38:27, 57; 39:19
- Stork, Wood, 31:11, 45; 32:9; 33:9; 34:7; 35:11; 36:23; 37:41; 38:26, 54; 39:16-17
- Storm-Petrel, sp., 39:15
- _____, Wilson's, 38:21, 33; 39:8; 40:11
- Swallow, Bank, 31:27, 57; 33:22; 36:33; 38:30
- _____, Barn, 31:27, 57; 32:17, 34, 37; 34:21; 35:26; 38:30
- _____, Cave, 35:26; 36:34; 38:19, 22, 25, 30, 61; 39:6, 8, 26; 40:7, 9, 11
- _____, Cliff, 31:27, 57; 36:34; 37:48; 38:30, 61; 39:26
- _____, Northern Rough-winged, 31:57; 32:34, 37; 35:26; 36:33; 38:30; 39:26
- _____, Tree, 31:27, 57; 32:17, 36, 38; 33:22; 34:21; 36:33; 37:47; 38:30, 61; 39:26; 40:13, 16, 18-19
- Swan, sp., 33:10; 34:8; 35:4
- _____, Black, 31:12
- _____, Trumpeter, 34:8; 37:38; 38:21, 33; 39:8; 40:11
- _____, Tundra, 31:46; 32:10; 33:10; 34:8; 38:8, 19, 21, 25; 39:3, 8; 40:11
- Swift, Chimney, 31:24; 32:16, 35, 37; 33:20; 34:19; 38:29, 60
- Tanager, Scarlet, 31:61; 32:35, 38; 33:26; 34:25; 35:30; 36:37; 38:31; 39:30

- _____, Summer, 31:31, 61; 32:20, 35, 38; 33:26; 35:30; 36:37; 38:31
- _____, Western, 35:30; 36:37; 38:22, 31; 39:8; 40:8, 12
- Teal, Blue-winged, 31:12, 46; 33:10; 34:8; 35:5; 36:19; 38:25; 39:13
- _____, Cinnamon, 35:5; 37:39; 38:17, 21, 33; 39:8, 13; 40:11
- _____, Green-winged, 31:13, 46; 35:5; 37:39; 38:25
- Tern, Arctic, 38:20, 22; 39:8; 40:6, 11
- _____, Black, 31:23, 54; 32:15; 33:19; 34:17; 35:21; 36:31; 37:45; 38:28, 59; 39:22
- _____, Bridled, 33:19; 38:13, 22, 33; 39:8; 40:11
- _____, Caspian, 31:22, 53; 32:15; 33:18; 34:17; 35:20; 36:30; 37:45; 38:28; 39:22
- _____, Common, 31:22, 53; 32:15; 33:18; 34:17; 35:20-21; 36:30; 37:45; 38:28, 59; 39:22
- _____, Forster's, 31:22, 53; 32:15; 33:18; 34:17; 35:21; 37:45; 38:28, 59; 39:22
- _____, Gull-billed, 34:16; 35:20; 36:29; 38:28
- _____, Least, 31:22-23, 53; 32:15; 33:18-19; 34:17; 35:21; 36:30; 37:cover photo 37(1), 8, 10, 17, 21, 45; 38:28, 59; 39:22
- _____, Roseate, 38:22, 33; 39:8; 40:11
- _____, Royal, 35:20; 36:30; 38:28
- _____, Sandwich, 35:20; 36:30; 38:33 (see also Tern, Sandwich X Elegant Tern)
- _____, Sandwich X Elegant Tern, 36:30

_____, Sooty, 33:19; 35:21; 36:30; 37:45; 38:13, 18, 20, 22, 28; 39:8, 22; 40:6, 11

Thrasher, Brown, 32:35, 37; 38:30

Thrush, sp., 32:31

- _____, Bicknell's, 32:36-37
- _____, Gray-cheeked, 31:28, 58; 32:36-37; 33:23; 34:22; 35:26; 36:34; 38:30; 39:27
- _____, Hermit, 31:58; 32:36-37; 33:23; 34:22; 35:27; 37:48; 38:30
- _____, Swainson's, 31:28, 58; 32:36, 38; 33:23; 34:22; 35:26; 36:34; 38:30; 39:27
- _____, Wood, 31:28, 58; 32:18, 36, 38; 33:23; 34:22; 35:27; 36:34; 38:30; 39:27
- Titmouse, Tufted, 32:36, 38; 34:41; 38:30
- Towhee, Eastern, 32:36-37; 38:31 (see also Towhee, Spotted X Eastern Towhee)

_____, Green-tailed, 38:22, 33; 39:8; 40:12

- _____, Spotted, 35:30; 38:6, 15, 22, 31; 39:8; 40:8, 12 (see also Towhee, Spotted X Eastern Towhee)
- _____, Spotted X Eastern Towhee, 35:31; 36:38
- Turcotte, B., How to Make a Killdeer Nest, 31:37-38
- ____, Well-kept Secrets, 31:4-5

Turkey, Wild, 33:13; 34:11; 35:6; 37:39; 38:25; 39:14

- Turnstone, Ruddy, 31:20; 33:1, 15; 34:14; 35:16; 36:27; 38:27, 57
- Veery, 31:58; 32:36, 38; 33:23; 34:22; 35:26; 36:34; 38:30; 39:27

- Vilella, F.J., see Wood, D.R., and _____
- _____, see Wood, D.R., _____, and L.W. Burger, Jr.
- Violet-ear, Green, see Violetear, Green
- Violetear, Green, 31:24; 38:20, 22, 33; 39:8; 40:6, 11
- Vireo, Bell's, 31:26; 33:22; 36:33; 38:15, 18, 19, 22, 33, 61; 39:8; 40:7, 11
- _____, Black-capped, 38:22, 33; 39:8; 40:11
- _____, Black-whiskered, 36:33; 38:22, 33; 39:8; 40:7, 11
- _____, Blue-headed, 31:56; 32:17; 33:22; 34:21; 36:33; 38:29; 39:25
- _____, Philadelphia, 31:27, 56; 32:17; 33:22; 35:25; 36:33; 37:47; 38:29, 61; 39:26
- _____, Red-eyed, 31:27, 56; 32:17, 31, 35, 37; 33:22; 34:21; 35:25; 36:33; 38:29, 61; 39:26
- _____, Warbling, 31:27; 33:22; 34:21; 35:25; 36:33; 37:47; 38:29, 61
- _____, White-eyed, 31:26; 32:31, 36, 38; 33:22; 34:21; 35:25; 38:29; 39:25
- _____, Yellow-throated, 31:56; 32:37-38; 34:21; 37:47; 38:29
- Vulture, Black, 31:11; 38:26
- _____, Turkey, 31:45; 33:9; 35:11; 38:33
- Wagtail, Citrine, 38:22, 33; 39:8; 40:12
- Warbler, Bachman's, 38:22, 33; 39:8; 40:12
- _____, Bay-breasted, 31:29-30, 60; 32:19, 31, 34, 37; 33:25; 34:24; 38:31

, Black-and-white, 31:60; 32:19, 34, 37; 33:25; 35:29; 38:31
, Blackburnian, 31:59; 33:24; 35:28; 38:31
, Blackpoll, 31:30; 33:25; 34:24; 35:28; 36:36; 38:31
, Black-throated Blue, 31:29; 34:23; 35:28; 38:31, 63
, Black-throated Gray, 38:15, 22, 33; 39:8; 40:12
, Black-throated Green, 31:59; 32:34, 37; 33:24; 34:23; 35:28; 38:31, 63; 39:28
, Blue-winged, 31:28, 58; 32:31, 35, 37; 33:23; 35:27; 36:35; 38:30, 62 (see also Warbler, Brewster's, Warbler, Lawrence's, and Warbler, Blue-winged X Golden-winged Warbler)
, Blue-winged X Golden-winged Warbler, 36:35; 38:62
, Brewster's, 31:28; 33:24
, Canada, 31:61; 34:25; 35:30; 36:37; 38:31; 39:29
, Cape May, 32:18, 35, 37; 33:24; 34:23; 35:28; 36:36; 37:49; 38:31, 63; 39:28
, Cerulean, 31:30, 60; 32:19; 33:25; 34:24; 35:29; 36:36; 37:49; 38:31, 63; 39:28
, Chestnut-sided, 31:29, 59; 32:18, 35, 37; 36:35; 38:31; 39:28
, Connecticut, 35:30; 38:22, 33, 64; 39:8; 40:8, 12
, Golden-winged, 31:28, 58; 32:18, 36-37; 33:23-24; 34:23; 35:27; 36:35; 37:48; 38:30, 62; 39:27 (see also Warbler, Brewster's, Warbler, Lawrence's, and Warbler, Blue-winged X Golden-winged Warbler)
, Hooded, 31:30, 60-61; 32:31, 36-37; 33:26; 34:25; 35:30; 36:37; 38:31, 64; 39:29

- _____, Kentucky, 31:30, 60; 32:19, 31, 37; 33:26; 35:30; 36:37; 38:31; 39:28
- _____, Lawrence's, 34:23
- _____, Magnolia, 31:29, 59; 32:18, 31, 37; 33:24; 35:28; 36:36; 37:49; 38:31
- _____, Mourning, 31:30; 32:19; 33:26; 34:25; 35:30; 36:37; 38:31; 39:28
- _____, Nashville, 31:29, 58-59; 32:18; 33:24; 34:23; 35:27; 36:35; 37:48; 38:31, 62-63; 39:27
- _____, Orange-crowned, 31:58; 32:34, 37; 34:23; 35:27; 36:35; 38:31; 39:27
- _____, Palm, 31:29, 59; 32:19, 35, 37; 33:25; 34:24; 35:28; 36:36; 37:49; 38:31, 63; 39:28
- _____, Pine, 38:31
- _____, Prairie, 31:29, 59; 32:35, 37; 33:25; 34:24; 35:28; 37:49; 38:31
- _____, Prothonotary, 31:30, 60; 32:19, 31, 35, 37; 33:25; 34:24; 35:29; 36:36; 37:6; 38:31; 39:28
- _____, Swainson's, 31:30, 60; 32:19, 36, 38; 33:25; 34:24-25; 35:29; 36:36-37; 37:49; 38:31, 63-63; 39:28
- _____, Tennessee, 31:29, 58; 32:18, 36, 38; 33:24; 34:23; 36:35; 38:31
- _____, Townsend's, 38:22, 33; 39:8; 40:12
- _____, Wilson's, 31:31, 61; 32:19; 33:26; 34:25; 35:30; 36:37; 37:50; 38:31, 64; 39:29
- _____, Worm-eating, 31:60; 32:36, 38; 35:29; 36:36; 38:31; 39:28
- _____, Yellow, 31:29, 59; 32:18, 37-38; 33:24; 34:23; 35:27-28; 36:35; 37:49; 38:31

- _____, Yellow-rumped, 31:29, 59; 32:18, 37-38; 36:36; 38:31
- _____, Yellow-throated, 31:29, 59; 32:19; 33:25; 34:24; 35:28; 38:31, 63
- Waterthrush, Louisiana, 31:30; 35:30; 36:37; 37:50; 38:31
- _____, Northern, 31:30, 60; 32:19, 34, 37; 33:25-26; 37:50; 38:31
- Waxwing, Cedar, 31:28; 32:35, 37; 33:23; 34:23; 36:34; 37:48; 38:30, 62
- Whimbrel, 31:19; 33:2, 15; 34:13; 35:16; 36:26; 38:27
- Whip-poor-will, see Whip-poor-will, Eastern
- _____, Eastern, 31:24; 32:16, 25-28, 36, 38; 33:20; 34:19; 35:22; 36:31; 38:29
- Whistling-Duck, Black-bellied, 31:45; 34:7; 35:3; 36:18; 37:38; 38:6, 8, 19, 21, 33, 52; 39:8, 11; 40:3, 11
- _____, Fulvous, 31:11; 35:4; 36:18; 38:17, 19, 21, 33; 39:8, 12; 40:3, 11
- Wigeon, American, 31:12, 46; 35:4; 37:38; 38:25 (see also Shoveler, Northern X American Wigeon)
- _____, Eurasian, 38:19, 21, 33; 39:8; 40:11
- Willet, 31:19, 51; 32:13; 33:15; 34:13; 35:15; 36:26; 37:44; 38:27, 57; 39:20

Winstead, N., see Schiefer, T.L., G.C. Knight, M.S. Woodrey, and _____

- Wood, D.R., and F.J. Vilella, Spring Migration Songbird Banding at Davis Bayou, Gulf Islands National Seashore 2000-2001, 32:29-38
- _____, F.J. Vilella, and L.W. Burger, Jr., Red-cockaded Woodpecker Reproduction, Nest Loss, and Cavity Kleptoparasitism in a Mississippi Loblolly-Shortleaf Pine Ecosystem, 34:34-52

Woodcock, American, 31:21-22, 52; 32:14; 36:28; 38:28, 58

Woodpecker, Downy, 32:36-37; 34:41; 38:29

- ____, Hairy, 38:29
- _____, Ivory-billed, 38:22, 33; 39:8; 40:11
- _____, Pileated, 32:35, 37; 34:41; 38:29
- _____, Red-bellied, 32:35, 37; 34:35, 37, 41, 44-45; 38:29
- _____, Red-cockaded, 34:34-52; 35:24; 38:29
- _____, Red-headed, 31:25; 34:37, 41; 38:29
- Wood-Pewee, Eastern, 31:25, 55; 32:17, 36-37; 33:21; 34:20; 35:24; 36:32; 38:29; 39:25
- _____, Western, 35:24; 38:6, 18, 22, 33; 39:8; 40:11
- Woodrey, M.S., see Schiefer, T.L., G.C. Knight, _____, and N. Winstead
- Wren, Bewick's, 31:5, 27; 32:17; 33:22; 35:26; 37:48; 38:30, 62; 39:26
- _____, Carolina, 31:4-5; 32:35, 37; 38:30
- _____, House, 31:57; 32:17, 36-37; 33:22; 34:21; 38:30
- _____, Marsh, 32:18; 37:48; 38:30, 62; 39:26
- _____, Rock, 31:5; 37:48; 38:22, 33, 62; 39:6, 8; 40:11-12
- , Sedge, 31:57; 33:23; 34:22; 35:26; 36:34; 37:48; 38:30, 62; 39:26
- , Winter, 31:27, 57; 32:17; 33:22-23; 34:22; 35:26; 38:30
- Yellowlegs, Greater, 31:19, 50; 32:13; 33:15; 34:13; 35:15; 36:26; 37:44; 38:27; 39:20
- _____, Lesser, 31:19, 50-51; 32:13; 33:15; 34:13; 35:15; 36:26; 38:27; 39:20

Yellowthroat, Common, 31:30; 32:35, 37; 34:25; 38:31, 64; 39:29

(ISSN 0737-0393)

Mississippi Ornithological Society Organized 30 April 1955

Officers	
Sarajane Smith 22539 Miller Edwards Rd. Sauciar MS 30574	
Saucier, MS 39574	
Nancy Madden	
2606 Kelly Ave.	
Gulfport, MS 39501	
Martha Swan	
1665 Toccopola Junct. Rd.	
Thaxton, MS 38871	
Jan Dubuisson	
22481 Glad Acres	
Pass Christian, MS 39571	
Gene and Shannon Knight	
79 Highway 9 West	
Oxford, MS 38655	
Margaret Copeland	
Marion Schiefer	
Nick Winstead	
2148 Riverside Drive	
Jackson, MS 39202	

Mississippi Ornithological Society Memberships

Honorary No dues	Junior (under age 15)\$5	
Library Subscriptions\$15	Student age 15 and over \$10	
Family\$35	Individual\$25	
Life\$350	Sustaining\$50	
Dues can be paid to the Membership Committee Chair (Gene Knight, 79		
Highway 9 West, Oxford, MS 38655) or online (www.missbird.org).		